

EI - 33621

ROY COOPER
Governor

DIONNE DELLI-GATTI
Secretary

NORTH CAROLINA
Environmental Quality

MEMORANDUM

To: Crystal Best
State Clearinghouse
NC Department of Administration

From: Lyn Hardison
Division of Environmental Assistance and Customer Service
Environmental Assistance and Project Review Coordinator
Washington Regional Office

Re: 21-0876
Environmental Review - Proposal is for the abandonment of
approximately 19.1 miles of railroad situated between milepost .07 at
Hendersonville and milepost 19.8 at Pisgah Forest near Brevard.
Henderson and Transylvania Counties

Date: April 22, 2021

The Department of Environment Quality has reviewed the proposal for the referenced project. Based on the information provided, twenty-eight (28) contamination sites were identified within one mile of the project site. In addition, several of our agencies have identified permits that may be required and offered some valuable guidance. The comments are attached for the applicant's review.

The Department will continue to be available to assist the applicant with any question or concerns.

Thank you for the opportunity to respond.

Attachments




North Carolina Department of Environmental Quality
217 West Jones Street | 1601 Mail Service Center | Raleigh, North Carolina 27699-1601
919.707.8600

ROY COOPER
Governor

DIONNE DELLI-GATTI
Secretary

MICHAEL SCOTT
Director



NORTH CAROLINA
Environmental Quality

Date: April 7, 2021

To: Michael Scott, Director
Division of Waste Management

Through: Janet Macdonald
Inactive Hazardous Sites Branch – Special Projects Unit

From: Bonnie S. Ware
Inactive Hazardous Sites Branch

Subject: NEPA Project # 21-0876, Blue Ridge Southern Railroad, Henderson (Transylvania) County, North Carolina

The Superfund Section has reviewed the proximity of sites under its jurisdiction to the Blue Ridge Southern Railroad project. Proposed project is for Proposal is for the abandonment of approximately 19.1 miles of railroad situated between milepost .07 at Hendersonville in Henderson County and milepost 19.8 at Pisgah Forest near Brevard in Transylvania County.

Twenty-Eight (28) Superfund Section sites were identified within one mile of the project as shown on the attached report. The Superfund Section recommends that site files be reviewed to ensure that appropriate precautions are incorporated into any construction activities that encounter potentially contaminated soil or groundwater. Superfund Section files can be viewed at: <http://deq.nc.gov/waste-management-laserfiche>.

Please contact Janet Macdonald at 919.707.8349 if you have any questions concerning the Superfund Section review portion of this SEPA/NEPA inquiry.



North Carolina Department of Environmental Quality | Division of Waste Management
217 West Jones Street | 1646 Mail Service Center | Raleigh, North Carolina 27699-1646
919.707.8200

Area : 27,034.07 acres

Apr 7 2021 15:23:35 Eastern Daylight Time



Superfund Section Sites Only : 21-0876 Hende son (Transylvania County)

Summary

Name	Count	Area(acres)	Length(mi)
Certified DSCA Sites	3	N/A	N/A
Federal Remediation Branch Sites	1	N/A	N/A
Inactive Hazardous Sites	3	N/A	N/A
Pre-Regulatory Landfill Sites	4	N/A	N/A
Brownfields Program Sites	17	N/A	N/A

Certified DSCA Sites

#	Site_ID	Site_Name	Count
1	DC450001	Blue Ridge Cleaners	1
2	DC450002	Carolina Cleaners	1
3	DC450004	Superior Cleaners & Laundry	1

Federal Remediation Branch Sites

#	SITE_ID	SITE_NAME	Count
1	NCD003166675	ECUSTA MILL	1

Inactive Hazardous Sites

#	EPAID	SITENAME	Count
1	NONCD0001090	OLD MILL BLDG	1
2	NONCD0003087	MAIN ST SOLVENT CONTAMINATION_500 BLOCK	1
3	NONCD0003130	ROBINSON TERRACE VOCS	1

Pre-Regulatory Landfill Sites

#	EPAID	SITENAME	Count
1	NONCD0000591	Davidson River Dump	1
2	NONCD0000359	Henderson Dump	1
3	NONCD0000761	Misty View Dr If	1
4	NONCD0000798	Mud Creek Dump	1

Brownfields Program Sites

#	BF_ID	BF_Name	Count
1	1701313088	Ecusta Gateway	1
2	600902045	Grey Hosiery Mill	1
3	1700413045	Auto Undertakers	1
4	1501611088	Ecusta - Tract D	1
5	1502111088	Ecusta - Tract A	1
6	1502211088	Ecusta - Tract B	1
7	1502311088	Ecusta - Tract C	1
8	1101907045	Warren Marketing Group	1
9	1404710088	Ecusta - Tract G	1
10	903605045	Baxter Oil (Former)	1
11	701603088	Ecusta	1
12	1502511088	Ecusta - Tract F	1
13	2304919032	Robinson Terrace South	1
14	902405088	Ecusta - 2	1
15	902305088	Ecusta - 1	1
16	1103307088	Ecusta Mill Property	1
17	1605712045	CVS (RN)	1

State of North Carolina Department of Environmental Quality
INTERGOVERNMENTAL REVIEW PROJECT COMMENTS

Reviewing Regional Office: Asheville
Project Number: 21-0876 Due Date:
04/19/2021 County: Henderson

After review of this project it has been determined that the DEQ permit(s) and/or approvals indicated may need to be obtained in order for this project to comply with North Carolina Law. Questions regarding these permits should be addressed to the Regional Office indicated on the reverse of the form. All applications, information and guidelines relative to these plans and permits are available from the same Regional Office.

	PERMITS	SPECIAL APPLICATION PROCEDURES or REQUIREMENTS	Normal Process Time (statutory time limit)
☐	Permit to construct & operate wastewater treatment facilities, non-standard sewer system extensions & sewer systems that do not discharge into state surface waters.	Application 90 days before begins construction or award of construction contracts. On-site inspection may be required. Post-application technical conference usual.	30 days (90 days)
☐	Permit to construct & operate, sewer extensions involving gravity sewers, pump stations and force mains discharging into a sewer collection system	Fast-Track Permitting program consists of the submittal of an application and an engineer's certification that the project meets all applicable State rules and Division Minimum Design Criteria.	30 days (N/A)
☐	NPDES - permit to discharge into surface water and/or permit to operate and construct wastewater facilities discharging into state surface waters.	Application 180 days before begins activity. On-site inspection. Pre-application conference usual. Additionally, obtain permit to construct wastewater treatment facility-granted after NPDES. Reply time, 30 days after receipt of plans or issue of NPDES permit-whichever is later.	90-120 days (N/A)
☐	Water Use Permit	Pre-application technical conference usually necessary.	30 days (N/A)
☐	Well Construction Permit	Complete application must be received and permit issued prior to the installation of a groundwater monitoring well located on property not owned by the applicant, and for a large capacity (>100,000 gallons per day) water supply well.	7 days (15 days)
☐	Dredge and Fill Permit	Application copy must be served on each adjacent riparian property owner. On-site inspection. Pre-application conference usual. Filling may require Easement to Fill from N.C. Department of Administration and Federal Dredge and Fill Permit.	55 days (90 days)
☐	Permit to construct & operate Air Pollution Abatement facilities and/or Emission Sources as per 15 A NCAC (2Q.O100 thru 2Q.O300)	Application must be submitted and permit received prior to construction and operation of the source. If a permit is required in an area without local zoning, then there are additional requirements and timelines (2Q.O113).	90 days
☐	Any open burning associated with subject proposal must be in compliance with 15 A NCAC 2D.1900	N/A	60 days (90 days)
☐	Demolition or renovations of structures containing asbestos material must be in compliance with 15 A NCAC 20.1110 (a) (1) which requires notification and removal prior to demolition. Contact Asbestos Control Group 919-707-5950	Please Note - The Health Hazards Control Unit (HHCU) of the N.C. Department of Health and Human Services, must be notified of plans to demolish a building, including residences for commercial or industrial expansion, even if no asbestos is present in the building.	60 days (90 days)
☒	The Sedimentation Pollution Control Act of 1973 must be properly addressed for any land disturbing activity. An erosion & sedimentation control plan will be required if one or more acres are to be disturbed. Plan must be filed with and approved by applicable Regional Office (Land Quality Section) at least 30 days before beginning activity. A NPDES Construction Stormwater permit (NCG010000) is also usually issued should design features meet minimum requirements. A fee of \$65 for the first acre or any part of an acre. An express review option is available with additional fees.		20 days (30 days)
☐	Sedimentation and erosion control must be addressed in accordance with NCDOT's approved program. Particular attention should be given to design and installation of appropriate perimeter sediment trapping devices as well as stable Stormwater conveyances and outlets.		(30 days)
☒	Sedimentation and erosion control must be addressed in accordance with Henderson County's Local Government's approved program. Particular attention should be given to design and installation of appropriate perimeter sediment trapping devices as well as stable Stormwater conveyances and outlets.		Based on Local Program
☒	Compliance with 15A NCAC 2H .0126 - NPDES Stormwater Program which regulates three types of activities: Industrial, Municipal Separate Storm Sewer System & Construction activities that disturb ≥ 1 acre.		30-60 days (90 days)
☒	Compliance with 15A NCAC 2H 1000 -State Stormwater Permitting Programs regulate site development and post-construction stormwater runoff control. Areas subject to these permit programs include all 20 coastal counties, and various other counties and watersheds throughout the state.		45 days (90 days)

State of North Carolina Department of Environmental Quality
INTERGOVERNMENTAL REVIEW PROJECT COMMENTS

Reviewing Regional Office: Asheville
Project Number: 21-0876 Due Date: 04/19/2021
County: Henderson

	PERMITS	SPECIAL APPLICATION PROCEDURES or REQUIREMENTS	Normal Process Time (statutory time limit)
☐	Mining Permit	On-site inspection usual. Surety bond filed with DEQ Bond amount varies with type mine and number of acres of affected land. Affected area greater than one acre must be permitted. The appropriate bond must be received before the permit can be issued.	30 days (60 days)
☐	Dam Safety Permit	If permit required, application 60 days before begin construction. Applicant must hire N.C. qualified engineer to: prepare plans, inspect construction, and certify construction is according to DEQ approved plans. May also require a permit under mosquito control program. And a 404 permit from Corps of Engineers. An inspection of site is necessary to verify Hazard Classification. A minimum fee of \$200.00 must accompany the application. An additional processing fee based on a percentage or the total project cost will be required upon completion.	30 days (60 days)
☐	Oil Refining Facilities	N/A	90-120 days (N/A)
☐	Permit to drill exploratory oil or gas well	File surety bond of \$5,000 with DEQ running to State of NC conditional that any well opened by drill operator shall, upon abandonment, be plugged according to DEQ rules and regulations.	10 days N/A
☐	Geophysical Exploration Permit	Application filed with DEQ at least 10 days prior to issue of permit. Application by letter. No standard application form.	10 days N/A
☐	State Lakes Construction Permit	Application fee based on structure size is charged. Must include descriptions & drawings of structure & proof of ownership of riparian property	15-20 days N/A
☐	401 Water Quality Certification	Compliance with the T15A 02H .0500 Certifications are required whenever construction or operation of facilities will result in a discharge into navigable water as described in 33 CFR part 323.	60 days (130 days)
☐	Compliance with Catawba, Goose Creek, Jordan Lake, Randleman, Tar Pamlico or Neuse Riparian Buffer Rules is required. Buffer requirements: http://deq.nc.gov/about/divisions/water-resources/water-resources-permits/wastewater-branch/401-wetlands-buffer-permits/401-riparian-buffer-protection-program		
☐	Nutrient Offset: Loading requirements for nitrogen and phosphorus in the Neuse and Tar-Pamlico River basins, and in the Jordan and Falls Lake watersheds, as part of the nutrient-management strategies in these areas. DWR nutrient offset information: http://deq.nc.gov/about/divisions/water-resources/planning/nonpoint-source-management/nutrient-offset-information		
☐	CAMA Permit for MAJOR development	\$250.00 - \$475.00 fee must accompany application	75 days (150 days)
☐	CAMA Permit for MINOR development	\$100.00 fee must accompany application	22 days (25 days)
☐	Abandonment of any wells, if required must be in accordance with Title 15A. Subchapter 2C.0100.		
☒	Notification of the proper regional office is requested if "orphan" underground storage tanks (USTS) are discovered during any excavation operation.		
☐	Plans and specifications for the construction, expansion, or alteration of a public water system must be approved by the Division of Water Resources/Public Water Supply Section prior to the award of a contract or the initiation of construction as per 15A NCAC 18C .0300 et. seq., Plans and specifications should be submitted to 1634 Mail Service Center, Raleigh, North Carolina 27699-1634. All public water supply systems must comply with state and federal drinking water monitoring requirements. For more information, contact the Public Water Supply Section, (919) 707-9100.		30 days
☐	If existing water lines will be relocated during the construction, plans for the water line relocation must be submitted to the Division of Water Resources/Public Water Supply Section at 1634 Mail Service Center, Raleigh, North Carolina 27699-1634. For more information, contact the Public Water Supply Section, (919) 707-9100.		30 days
☐	Plans and specifications for the construction, expansion, or alteration of the _____ water system must be approved through the _____ delegated plan approval authority. Please contact them at _____ for further information.		

State of North Carolina Department of Environmental Quality
INTERGOVERNMENTAL REVIEW PROJECT COMMENTS

Reviewing Regional Office: Asheville
Project Number: 21-0876 Due Date:
04/19/2021 County: Henderson

Other Comments (attach additional pages as necessary, being certain to comment authority)

Division	Initials	No comment	Comments	Date Review
DAQ	PVB	☒		3/26/2021
DWR-WQROS	GLD	☐	The project could require a 401 Water Quality Certification. Contact Kaylie Yankura at 828-296-4500 for additional information. Construction BMPs and sound erosion control measures shall be utilized to avoid discharging sediment laden water to streams and wetlands, which may result in a water quality violation.	3/24/2021
DWR-PWS	JH	☐	This project is partly within the water supply watershed for the City of Asheville's source water intake on the French Broad River.	3/29/2021
DEMLR (LQ & SW)	MMS	☐	Although this site is simply abandonment of the old railroad tracks, please note for that the Sedimentation Pollution Control Act of 1973 must be properly addressed for any land disturbing activity. An erosion and sedimentation control plan may be required if one or more acres are to be disturbed. If public funding is involved with this site, a plan must be filed with and approved by applicable Regional Office (Land Quality Section) at least 30 days before beginning activity. A NPDES Construction Stormwater permit (NCG010000) is also usually issued should design features meet minimum requirements. A fee of \$65 for the first acre or any part of an acre. In addition, sedimentation an erosion control must be addressed in accordance with Henderson County's approved local program. Particular attention should be given the design and installation of appropriate perimeter and sediment trapping devices as well as stable stormwater conveyances and outlets. For this site compliance with 15A NCAC 2H .0126 - NPDES Stormwater Program may be required. This program regulates three types of activities: Industrial, Municipal Separate Storm Sewer System & Construction activities that disturb ≥1 acre. Compliance with 15A NCAC 2H 1000 -State Stormwater Permitting Programs which regulate site development and post-construction stormwater runoff control may be required for this site. Areas subject to these permit programs include all 20 coastal counties, and various other counties and watersheds throughout the state.	3/24/2021
DWM – UST	CEL	☐	I searched the Petroleum Underground Storage Tank (UST) and Non-UST Databases and identified numerous petroleum Incidents and UST Facilities on or adjacent to the proposed project area. Please contact our office for additional information. • UST Incident #13480 (closed) • UST Incident #14520 (closed) • UST Facility ID 00-0-0000010964 • UST Incident #17261 (open) • UST Incident #12767 (closed) • UST Incident #12776 (closed) • UST Incident #28863 (closed) • UST Facility ID 00-0-0000032467 • Non-UST Incident #13533 (open) • UST Incident #28777 (closed) • Non-UST Incident #89217 (closed) • UST Incident #7603 (closed) The following comments are pertinent to my review: The Asheville Regional Office (ARO) UST Section recommends removal of	4/1/21

State of North Carolina Department of Environmental Quality
INTERGOVERNMENTAL REVIEW PROJECT COMMENTS

			any abandoned or out-of-use petroleum USTs or petroleum ASTs within the project area. The UST Section should be contacted regarding use of any proposed or on-site petroleum USTs or ASTs. We may be reached at (828) 296-4500. Any petroleum USTs or ASTs must be installed and maintained in accordance with applicable local, state, and federal regulations. For additional information on petroleum ASTs it is advisable that the North Carolina Department of Insurance at (919) 661-5880 ext. 239, USEPA (404) 562-8761, local fire department, and Local Building Inspectors be contacted. Any petroleum spills must be contained and the area of impact must be properly restored. Petroleum spills of significant quantity must be reported to the North Carolina Department of Environmental Quality (NCDEQ) – Division of Waste Management (DWM) UST Section in the ARO. Any soils excavated during demolition or construction that show evidence of petroleum contamination, such as stained soil, odors, or free product must be reported immediately to the local Fire Marshall to determine whether explosive or inhalation hazards exist. Also, notify the UST Section of the ARO. Petroleum contaminated soils must be handled in accordance with all applicable regulations. Any questions or concerns regarding spills from petroleum USTs, ASTs, or vehicles should be directed to the UST Section at (828) 296-4500. If you have any questions or need additional information, please contact me via email at caroline.lafond@ncdenr.gov or by phone at (828) 296-4644.	
Other Comments		☐		/ /

REGIONAL OFFICES

Questions regarding these permits should be addressed to the Regional Office marked below.

- | | | |
|---|---|--|
| ☐ Asheville Regional Office
2090 U.S. 70 Highway
Swannanoa, NC 28778-8211
Phone: 828-296-4500
Fax: 828-299-7043 | ☐ Fayetteville Regional Office
225 Green Street, Suite 714,
Fayetteville, NC 28301-5043
Phone: 910-433-3300
Fax: 910-486-0707 | ☐ Mooresville Regional Office
610 East Center Avenue, Suite 301,
Mooresville, NC 28115
Phone: 704-663-1699
Fax: 704-663-6040 |
| ☐ Raleigh Regional Office
3800 Barrett Drive,
Raleigh, NC 27609
Phone: 919-791-4200
Fax: 919-571-4718 | ☐ Washington Regional Office
943 Washington Square Mall,
Washington, NC 27889
Phone: 252-946-6481
Fax: 252-975-3716 | ☐ Wilmington Regional Office
127 Cardinal Drive Ext.,
Wilmington, NC 28405
Phone: 910-796-7215
Fax: 910-350-2004 |
| | ☐ Winston-Salem Regional Office
450 Hanes Mill Road, Suite 300,
Winston-Salem, NC 27105
Phone: 336-776-9800
Fax: 336-776-9797 | |

ROY COOPER

Governor

DIONNE DELLI-GATTI

Secretary

MICHAEL SCOTT

Director



NORTH CAROLINA
Environmental Quality

TO: Lyn Hardison, Environmental Coordinator

FROM: Caroline LaFond, Regional UST Supervisor

COPY: Scott Bullock, Corrective Action Branch Head, Sharon Brinkley, Administrative Secretary

DATE: April 1, 2021

RE: Environmental Review – Project Number 21-0876 – Henderson County - Environmental Review - Scoping - Proposal is for the abandonment of approximately 19.1 miles of railroad situated between milepost .07 at Hendersonville in Henderson County and milepost 19.8 at Pisgah Forest near Brevard in Transylvania County.

I searched the Petroleum Underground Storage Tank (UST) and Non-UST Databases and identified numerous petroleum Incidents and UST Facilities on or adjacent to the proposed project area. Please contact our office for additional information.

- UST Incident #13480 (closed)
- UST Incident #14520 (closed)
- UST Facility ID 00-0-0000010964
- UST Incident #17261 (open)
- UST Incident #12767 (closed)
- UST Incident #12776 (closed)
- UST Incident #28863 (closed)
- UST Facility ID 00-0-0000032467
- Non-UST Incident #13533 (open)
- UST Incident #28777 (closed)
- Non-UST Incident #89217 (closed)
- UST Incident #7603 (closed)

The following comments are pertinent to my review:

The Asheville Regional Office (ARO) UST Section recommends removal of any abandoned or out-of-use petroleum USTs or petroleum ASTs within the project area. The UST Section should be contacted regarding use of any proposed or on-site petroleum USTs or ASTs. We may be reached at (828) 296-4500.

Any petroleum USTs or ASTs must be installed and maintained in accordance with applicable local, state, and federal regulations. For additional information on petroleum ASTs it is advisable that the North Carolina Department of Insurance at (919) 661-5880 ext. 239, USEPA (404) 562-8761, local fire department, and Local Building Inspectors be contacted.



Any petroleum spills must be contained and the area of impact must be properly restored. Petroleum spills of significant quantity must be reported to the North Carolina Department of Environmental Quality (NCDEQ) – Division of Waste Management (DWM) UST Section in the ARO.

Any soils excavated during demolition or construction that show evidence of petroleum contamination, such as stained soil, odors, or free product must be reported immediately to the local Fire Marshall to determine whether explosive or inhalation hazards exist. Also, notify the UST Section of the ARO. Petroleum contaminated soils must be handled in accordance with all applicable regulations.

Any questions or concerns regarding spills from petroleum USTs, ASTs, or vehicles should be directed to the UST Section at (828) 296-4500. If you have any questions or need additional information, please contact me via email at caroline.lafond@ncdenr.gov or by phone at (828) 296-4644.

ROY COOPER


Governor

DIONNE DELLI-GATTI

Secretary

MICHAEL SCOTT

Director



NORTH CAROLINA
Environmental Quality

DATE: April 19, 2021

TO: Michael Scott, Division Director through Sharon Brinkley

FROM: Deb Aja, Western District Supervisor - Solid Waste Section

RE: NEPA Project 21-0876, Henderson and Transylvania Counties, N.C.
Blue Ridge Southern Railroad – Rail Abandonment Exemption

The Solid Waste Section has reviewed the environmental scoping document for Blue Ridge Southern Railroad project to abandon approximately 19.1 miles of railroad situated between milepost .07 at Hendersonville in Henderson County and milepost 19.8 at Pisgah Forest near Brevard in Transylvania County, North Carolina. The review has been completed and has found no adverse impact on the surrounding community and likewise knows of no situations in the community, which would affect this project from a solid waste perspective.

During the project, every feasible effort should be made to minimize the generation of waste, to recycle materials for which viable markets exist, and to use recycled products and materials in the development of this project where suitable. Any waste generated by this project that cannot be beneficially reused or recycled must be disposed of at a solid waste management facility approved to manage the respective waste type. The Section strongly recommends that any contractors are required to provide proof of proper disposal for all waste generated as part of the project.

A list of permitted solid waste management facilities is available on the Solid Waste Section portal site at: <http://deq.nc.gov/about/divisions/waste-management/waste-management-rules-data/solid-waste-management-annual-reports/solid-waste-permitted-facility-list>.

Please contact Mr. Lee Hill, Environmental Senior Specialist, with any questions regarding solid waste management for this project. Mr. Hill may be reached at (828) 296-4700 or by email at lee.hill@ncdenr.gov.

Cc: Jason Watkins, Field Operations Branch Head
Lee Hill, Environmental Senior Specialist



North Carolina Department of Environmental Quality | Division of Waste Management
217 West Jones Street | 1646 Mail Service Center | Raleigh, North Carolina 27699-1646
919.707.8200

Department of Environmental Quality

Project Review Form

Project Number: 21-0876

County: Henderson (Transylvania)

Date Received: 3-23-2021

Due Date: 4-19-2021

Project Description: *Environmental Review - Proposal is for the abandonment of approximately 19.1 miles of railroad situated between milepost .07 at Hendersonville in Henderson County and milepost 19.8 at Pisgah Forest near Brevard in Transylvania County.*

This Project is being reviewed as indicated below:

Regional Office	Regional Office Area	In-House Review
☒ Asheville	☒ Air	☐ Air Quality
☐ Fayetteville	☒ DWR	☐ Parks & Recreation
☐ Mooresville	☒ DWR - Public Water	☒ Waste Mgmt
☐ Raleigh	☒ DEMLR (LQ & SW)	☐ Water Resources Mgmt
☐ Washington	☒ DWM-UST	☐ (Public Water, Planning & Water Quality Program)
☐ Wilmington		☒ DWR-Transportation Unit
☐ Winston-Salem		☐ <u>Kevin Mitchell</u>
		☐ Coastal Management
		☐ Marine Fisheries
		☐ Military Affairs
		☐ DMF-Shellfish Sanitation
		☒ Wildlife <u>Marla/Andrea</u>
		☐ Wildlife - DOT

Manager Sign-Off/Region:	Date: 4/19/21	In-House Reviewer/Agency: Melodi Deaver, Hazardous Waste Section
--------------------------	------------------	---

Response (check all applicable)

- | | |
|--|---|
| ☐ No objection to project as proposed. | ☒ No Comment |
| ☐ Insufficient information to complete review | ☐ Other (specify or attach comments) |

If you have any questions, please contact:

Lyn Hardison at lyn.hardison@ncdenr.gov or (252) 948-3842
943 Washington Square Mall Washington NC 27889
Courier No. 16-04-01

Department of Environmental Quality

Project Review Form

Project Number: 21-0876

County: Henderson (Transylvania)

Date Received: 3-23-2021

Due Date: 4-19-2021

Project Description: *Environmental Review - Proposal is for the abandonment of approximately 19.1 miles of railroad situated between milepost .07 at Hendersonville in Henderson County and milepost 19.8 at Pisgah Forest near Brevard in Transylvania County.*

This Project is being reviewed as indicated below:

Regional Office	Regional Office Area	In-House Review
☒ Asheville	☒ Air	☐ Air Quality
☐ Fayetteville	☒ DWR	☐ Parks & Recreation
☐ Mooresville	☒ DWR - Public Water	☒ Waste Mgmt
☐ Raleigh	☒ DEMLR (LQ & SW)	☐ Water Resources Mgmt
☐ Washington	☒ DWM-UST	☐ (Public Water, Planning & Water Quality Program)
☐ Wilmington		☒ DWR-Transportation Unit
☐ Winston-Salem		☐ <u>Kevin Mitchell</u>
		☐ Coastal Management
		☐ Marine Fisheries
		☐ Military Affairs
		☐ DMF-Shellfish Sanitation
		☒ Wildlife <u>Marla/Andrea</u>
		☐ Wildlife - DOT

Manager Sign-Off/Region:	Date:	In-House Reviewer/Agency:
	4/5/2021	A Leslie/NCWRC

Response (check all applicable)

☐ No objection to project as proposed.

☒ No Comment

☐ Insufficient information to complete review

☐ Other (specify or attach comments)

If you have any questions, please contact:

Lyn Hardison at lyn.hardison@ncdenr.gov or (252) 948-3842
943 Washington Square Mall Washington NC 27889
Courier No. 16-04-01