



STATE OF LOUISIANA
DEPARTMENT OF ENVIRONMENTAL QUALITY
OFFICE OF THE SECRETARY

September 11, 2026

Elizabeth Webster
Surface Transportation Board (Docket No. FD 36873)
Office of Environmental Analysis
395 E Street SW, Washington, DC 20423
E-Filing at www.stb.gov

RE: 260819/0655

**Union Pacific Acquisition of Norfolk Southern (Docket No. FD 36873)
Surface Transportation Board Funding
St. Tammany Parish**

Dear Ms. Webster:

The Louisiana Department of Environmental Quality (LDEQ) has received your request for comments on the above referenced project.

After reviewing your request, the Department has no objections based on the information provided in your submittal. However, for your information, the following general comments have been included. Please be advised that if you should encounter a problem during the implementation of this project, you should immediately notify LDEQ's Single-Point-of-Contact (SPOC) at (225) 219-3640.

- Please take any necessary steps to obtain and/or update all necessary approvals and environmental permits regarding this proposed project.
- If your project results in a discharge to waters of the state, submittal of a Louisiana Pollutant Discharge Elimination System (LPDES) application may be necessary.
- If the project results in a discharge of wastewater to an existing wastewater treatment system, that wastewater treatment system may need to modify its LPDES permit before accepting the additional wastewater.
- All precautions should be observed to control nonpoint source pollution from construction activities. LDEQ has stormwater general permits for construction areas equal to or greater than one acre. It is recommended that you contact Debbie Bissett (Debbie.Bissett@la.gov) or Melissa Reboul (Melissa.Reboul@la.gov) with the LDEQ Water Permits Division at (225) 219-3590 to determine if your proposed project requires a permit.
- If your project will include a sanitary wastewater treatment facility, a Sewage Sludge and Biosolids Use or Disposal Permit is required. An application form or Notice of Intent will need to be submitted if the sludge management practice includes preparing biosolids for land application or preparing sewage sludge to be hauled to a landfill. Additional information may be obtained on the LDEQ website at <https://deq.louisiana.gov/page/sewage-biosolids> or by contacting Ronda Burtch with the LDEQ Water Permits Division at (225) 219- 3213 or Ronda.Burtch@la.gov.



STATE OF LOUISIANA

DEPARTMENT OF ENVIRONMENTAL QUALITY

OFFICE OF THE SECRETARY

- If any of the proposed work is located in wetlands or other areas subject to the jurisdiction of the U.S. Army Corps of Engineers, you should contact the Corps directly regarding permitting issues. If a Corps permit is required, part of the application process may involve a water quality certification from LDEQ.
- All precautions should be observed to protect the groundwater of the region.
- Please be advised that water softeners generate wastewaters that may require special limitations depending on local water quality considerations. Therefore if your water system improvements include water softeners, you are advised to contact the LDEQ Water Permits to determine if special water quality-based limitations will be necessary.
- Please refer to the following regulations as they may apply to your project: LAC 33:III.Chapter 28 (Lead-Based Paint Activities); LAC 33:III.Chapter 27 (Asbestos Training and Accreditation requirements); LAC 33:III.5151, Emission Standard for Asbestos (for any renovations or demolitions); and LAC 33:III.1305.Control of Fugitive Emissions (prevention of Particulate Matter from becoming airborne).
- If any solid or hazardous wastes, or soils and/or groundwater contaminated with hazardous constituents are encountered during the project, notification to LDEQ's Single-Point-of-Contact (SPOC) at (225) 219-3640 or SPOC@la.gov is required. Additionally, precautions should be taken to protect workers from these hazardous constituents.
- If the project will involve the removal or disturbance of any soils which may have contaminant concentrations that exceed the Screening Option Standards established by the LDEQ Risk Evaluation/Corrective Action Program (RECAP) Regulation, these materials may be considered a waste and disposed of at a permitted facility, or might be managed as part of a Solid Waste Beneficial Use or Soil Reuse Plan in accordance with LAC 33:VII.Chapter 11. Alternately, a site-specific RECAP Evaluation might be conducted and submitted to the LDEQ.
- **The proposed project appears to be located in LDEQ water unit LA090202_00, which contains an Outstanding Natural Resource Water (West Pearl River).**
 - **According to the LDEQ 2024 Integrated Report, this unit contains water quality impairments for oxygen and mercury in fish tissue. According to LDEQ's Water Quality Management Plan, total maximum daily load pollution control allocations are in effect for mercury.**
 - **Nonpoint source controls should be followed as outlined above, both within and along waterways during construction activities, as disturbance and sedimentation can worsen water quality.**
- **LDEQ may require further review of this project when more details are available; please forward the Environmental Assessment through the SOV process when complete.**
- **The following comments are provided by the Underground Storage Tanks Division (USTD) and are in response to SOV No. 260819/0655:**



STATE OF LOUISIANA
DEPARTMENT OF ENVIRONMENTAL QUALITY
OFFICE OF THE SECRETARY

A file review indicates the following Agency Interest (AI) Numbers are located in the vicinity of your project in St. Tammany Parish, LA, and have active underground storage tanks (USTs) on the properties:

AI No. 78942; Rush Express; 64060 Hwy. 41

AI No. 76038; Terry's Save Time Pantry; 64079 Hwy. 11

A file review indicates the following AI Numbers are located in the vicinity of your project in St. Tammany Parish, LA and at one time contained USTs on the properties that have been removed from the LDEQ database:

AI No. 104409; Old Texaco; 64481 Hwy. 3081

AI No. 79070; Theresa Zechenelly; 64328 Nelson Rd.

If any underground storage tanks are encountered during the project, they must be in compliance with the regulations found in LAC 33:XI of the Environmental Regulatory Code. If any contaminated soil or groundwater is encountered, the findings should be reported to LDEQ.

Currently, St. Tammany Parish is classified as attainment with the National Ambient Air Quality Standards and has no general conformity determination obligations.

Please send all Solicitation of Views (SOVs) requests and questions to SOVs@la.gov.

For Air Planning & Assessment question/inquiries, please contact Chance Henderson at Chance.Henderson@la.gov.

For Water Planning & Assessment question/inquiries, please contact Kori Blitch at Kori.Blitch@la.gov.

For Remediation question/inquiries, please contact Keith Horn at Keith.Horn@la.gov.

For Underground Storage Tank questions/inquiries, please contact Chris Means at Chris.Means@la.gov.

Sincerely,

Marissa Jimenez
Environmental Scientist Manager
Louisiana Department of Environmental Quality
Office of the Secretary