

EXHIBIT G

Track Map of Leased Property

[attached hereto]

W&A SUBDIVISION - WA

AT.WA.DRAFT.102516

AUTHORIZED SPEED - REFER TO SPEED TABLES		MILE POST	STATION	TRACK DIAGRAM SOUTH		AUTH FOR MOVE	NOTES
				CHATTANOOGA SD NASHVILLE DIV			
40		OWA 140.0	LOOKOUT			CP	
40		OWA 139.9		1	2	TC	
1	2	OWA 139.8					
40	25	OWA 138.2	ALTON PARK			CP	
						TC	
40	40	OWA 137.8	WHELAND	NS	-----	CP	
25	25	OWA 137.3				TC	
25	25	OWA 136.4					
15	15	OWA 136.3				TC	
25	25	OWA 135.9	CT TOWER	NS	=====	CP	
						TC	
25	25	OWA 135.6	EAST END AVENUE	1	2	CP	
25		OWA 135.2				TC	
60		135.0 134.0					
		OWA 133.7		DD		TC	
		OWA 132.0	NE BOYCE			CP	
60		OWA 131.4				TC	
		OWA 131.1	SE BOYCE			CP	
55		OWA 130.1				TC	
40		OWA 128.9	TYNER			CP	
						TC	
40		OWA 128.4					
60		OWA 124.7					
40						TC	

W&A SUBDIVISION - WA

AT.WA.DRAFT.102516

AUTHORIZED SPEED - REFER TO SPEED TABLES	MILE POST	STATION	TRACK DIAGRAM		AUTH FOR MOVE	NOTES
			SOUTH			
40					TC	
50	OWA 122.9					
	OWA 121.4	NE GRAYSVILLE			CP	
		1.3		CSDG 6,435 FT SP	TC	
	OWA 120.1	SE GRAYSVILLE			CP	
50	OWA 119.1	11.1	RINGGOLD STG 65 CARS	OWA 114.2	TC	
45	OWA 118.0					
60	OWA 115.5					
40	OWA 112.9					
60	OWA 109.9				DD	TC
	OWA 109.0				NE TUNNEL HILL	
60	OWA 108.0	2.3	SSDG 11,347 FT SP		TC	
	OWA 106.7	SE TUNNEL HILL			CP	
40	OWA 105.8	7.4		NS	TC	
50	OWA 101.3					
45	OWA 99.6					
25	OWA 99.3	NE DALTON			CP	
		0.3			TC	
	OWA 99.0	MIDDLE DALTON	NS		CP	
25	OWA 98.7	0.6		CSDG 4,200 FT SP	TC	
40	OWA 98.4	SE DALTON			CP	
40		8.0	OWA 96.4		TC	
	OWA 95.7			DALTON RAMP		
50	OWA 90.4	NE TILTON			CP	
		0.8		CSDG 3,300 FT SP	TC	
	OWA 89.6	SE TILTON			CP	
	OWA 88.4	3.9	DD		TC	
	OWA 85.7	NE RESACA			CP	
		1.9	SSDG 9,405 FT SP		TC	
	OWA 83.8	SE RESACA			CP	
50		4.4			TC	

W&A SUBDIVISION - WA

AT.WA.DRAFT.102516

AUTHORIZED SPEED - REFER TO SPEED TABLES	MILE POST	STATION	TRACK DIAGRAM		AUTH FOR MOVE	NOTES	
			SOUTH				
50					TC		
	OWA 79.4	CALHOUN HOLDOUT			CP		
40	OWA 79.3	7.1	OWA 78.3	OLD PASS TRK	TC		
	OWA 77.5		OWA 75.5				
50	OWA 75.0		STG 3,500 FT		OWA 74.6		TC
60	OWA 72.3		GORDON HOLDOUT				CP
55	OWA 69.1	5.1	ADAIRSVILLE STG 50 CARS	OWA 68.0	TC		
	OWA 69.0						
35	OWA 68.3						
55	OWA 68.2						
60	OWA 67.6	DD	TC				
	OWA 67.2	NE MARTIN MARIETTA			CP		
		2.0	SSDG 9,209 FT SP	TC			
	OWA 65.3	SE MARTIN MARIETTA			CP		
	OWA 65.2	6.2	HALLS STG 62 CARS	OWA 63.8	TC		
60	OWA 59.2				TC		
40	OWA 59.0	NE KINGSTON			CP		
		1.2	CSDG 5,665 FT SP	TC			
40	OWA 57.8	SE KINGSTON			CP		
	OWA 56.0	7.8			TC		
60	OWA 50.0	BOWEN			CP		
60	OWA 49.8	1.0	CARTERSVILLE SD		TC		
45	OWA 49.0	NORTH JUNTA			CP		
		0.4	CSDG 4,252 FT SP		TC		
45	OWA 48.6	W&A WYE			CP		
	OWA 48.3	0.5	CARTERSVILLE SD	ETOWAH SD	TC		
40	OWA 48.1	JUNTA			CP		
40		2.4			TC		

W&A SUBDIVISION - WA

AT.WA.DRAFT.102516

AUTHORIZED SPEED - REFER TO SPEED TABLES		MILE POST	STATION	TRACK DIAGRAM		AUTH FOR MOVE	NOTES
				SOUTH			
40		OWA 47.4		DD	WID	TC	
40		OWA 45.7	RIVER HOLDOUT			CP	
60			2.5			TC	
		OWA 43.2	NE EMERSON			CP	
			3.3	CSDG 7,975 FT SP		TC	
		OWA 39.9	SE EMERSON			CP	
60		OWA 36.4	4.3			TC	
45		OWA 35.6	NE ACWORTH			CP	
		OWA 35.5					
35		OWA 34.6	1.8		SSDG 9,380 FT SP	TC	
		OWA 33.8	SE ACWORTH			CP	
		OWA 33.1	2.9			TC	
35		OWA 30.9	MOON			CP	
1	2						
			2.6	1	2	TC	
35		OWA 28.3	KENNESAW	SP		CP	
			2.4	1	2	TC	
		OWA 25.9	DAY			CP	
35		OWA 25.6		DD		TC	
			3.5				
35		OWA 22.4	N ELIZABETH			CP	
				ATLANTA TERMINAL SD			
117.8 MILES LOOKOUT TO N ELIZABETH							

AT.WA.DRAFT.102516

2.4 MILES TYNER TO END OF MAIN TRACK 0TY 128.5

W&A SUBDIVISION SPECIAL INSTRUCTIONS

AT.WA.DRAFT.102516

1. INSTRUCTIONS RELATING TO OPERATING RULES

AUTHORIZED SPEEDS -- W&A

Trk	MP/Location	F
SG	OWA 140.0 - 139.9	40
2	OWA 139.9 - 139.8	25
1	OWA 139.9 - 137.8	40
2	OWA 139.8 - 137.8	40
Both	OWA 137.8 - 136.4	25
Both	OWA 136.4 - 136.3	15
Both	OWA 136.3 - 135.6	25
SG	OWA 135.6 - 135.2	25
SG	OWA 135.2 - 131.4	60
SG	OWA 131.4 - 130.1	55
SG	OWA 130.1 - 128.4	40
SG	OWA 128.4 - 124.7	60
SG	OWA 124.7 - 122.9	40
SG	OWA 122.9 - 119.1	50
SG	OWA 119.1 - 118.0	45
SG	OWA 118.0 - 115.5	60
SG	OWA 115.5 - 112.9	40
SG	OWA 112.9 - 108.0	60
SG	OWA 108.0 - 105.8	40
SG	OWA 105.8 - 101.3	50
SG	OWA 101.3 - 99.6	45
SG	OWA 99.6 - 98.7	25
SG	OWA 98.7 - 95.7	40
SG	OWA 95.7 - 79.3	50
SG	OWA 79.3 - 77.3	40
SG	OWA 77.3 - 75.0	50
SG	OWA 75.0 - 69.1	60
SG	OWA 69.1 - 69.0	55
SG	OWA 69.0 - 68.3 -- City Ordinance (HE)	35
SG	OWA 68.3 - 68.2	55
SG	OWA 68.2 - 59.2	60
SG	OWA 59.2 - 56.0	40
SG	OWA 56.0 - 49.8	60
SG	OWA 49.8 - 48.3	45
SG	OWA 48.3 - 45.7	40
SG	OWA 45.7 - 36.4	60
SG	OWA 36.4 - 35.5	45
SG	OWA 35.5 - 34.6	35
SG	OWA 34.6 - 33.1	45
SG	OWA 33.1 - 30.9	35
Both	OWA 30.9 - 25.9	35
SG	OWA 25.9 - 22.4	35

AUTHORIZED SPEEDS -- TYNER BRANCH

Trk	MP/Location	F
SG	OTY 126.1 - 128.5	10

ADDITIONAL SPEEDS (SP) -- W&A

Location	Track Type	F
OWA 132.0 - 131.1	CSDG	10
OWA 121.4 - 120.1		
OWA 109.0 - 106.7	SSDG	30

Location	Track Type	F
OWA 99.3 - 98.4	CSDG	10
OWA 90.4 - 89.6		
OWA 85.7 - 83.8	SSDG	30
OWA 67.2 - 65.2		
OWA 59.0 - 57.8	CSDG	10
OWA 49.0 - 48.1		
OWA 43.2 - 39.9		
OWA 35.6 - 33.8	SSDG	30
OWA 28.3 - 28.3	XOVER	10

CITY ORDINANCES RELATED TO SPEED RESTRICTIONS -- W&A

Trk	MP/Location	F
SG	OWA 69.0 - 68.3 (HE)	35

311 RAILROAD CROSSINGS AT GRADE

MP	Location	RR	Type	Rule
OWA 135.9	CT Tower	NS	Remotely Controlled	504.24
OWA 137.8	Wheland		Automatic	504.25
OWA 99.3	NE Dalton		Remotely Controlled	504.24
OWA 99.0	Middle Dalton			

312.2 HIGHWAY-RAIL CROSSINGS AT GRADE

MP	Location	Instruction
OWA 120.50	Graysville Rd	When necessary to block xings in excess of 10 min, the xing will be cut
OWA 99.40	North Hamilton St	
OWA 98.90	West Morris St	
OWA 98.70	East Emory St	
OWA 96.70	Ind Blvd	Must not be blocked by local cars or standing train
OWA 87.90	Dow Chemical Ind	
OWA 64.01	SR 136	When necessary to block xings in excess of 10 min, the xing will be cut
OWA 48.10	Junta - Etowah SD Emergency xing 00C 422.7	
OWA 34.70	Lemon St	

1003.6 GENERAL RADIO RULES

MP	Location	Hours	Channels Assigned	Type Station
OWA 34.0	Acworth	Cont	084, 094-4	Wayside

When working in Wyvern Yard, Wyvern Industrial Park, North Yard, Junta Yard, The Hole, crews will operate on Channel 022.

2. INSTRUCTIONS RELATING TO SAFETY RULES**INDUSTRIES THAT MOVE RAIL EQUIPMENT BY THEIR OWN MEANS**

Refer to Division Special Instruction, Section 2 for instruction at the following locations:

MP	Location
OWA 88.0	Dow /Styron
OWA 81.0	Pilgrims Pride
OWA 75.6	Omnova
OWA 29.9	Huber

3. INSTRUCTIONS RELATING TO HAZARDOUS MATERIALS

NONE

4. INSTRUCTIONS RELATING TO EQUIPMENT HANDLING RULES**4151 WHEEL IMPACT DETECTORS**

Refer to Rule 4151 for instructions.

MP	Location	Type
OWA 47.4	Cartersville W&A	1

4300 DEFECT DETECTORS AND CLEARANCE DETECTORS

MP	Location	Type	Note
OWA 133.7	Boyce	1	None
OWA 109.9	Ringgold		
OWA 88.4	Resaca		
OWA 67.6	Adairsville		
OWA 47.4	Cartersville W&A		
OWA 25.6	Day		

4402 LIMITING THE SIZE OF INTERMODAL TRAINS ON OTHER THAN THE WATER LEVEL ROUTE

W&A Subdivision – Do not operate an intermodal train on other than the water level route that is more than 9,000 tons or 12,000 feet.

4403-B INTERMODAL TRAIN PLACEMENT REQUIREMENTS ON OTHER THAN THE WATER LEVEL ROUTE

W &A Subdivision – When the train is 9,001 or more feet long and between 7,501 and 9,000 tons.

5. INSTRUCTIONS RELATING TO AIR BRAKE AND TRAIN HANDLING RULES**5502 TRACTIVE EFFORT**

To limit Draft forces, the maximum trailing tonnage for a train handled with only head-on power will be restricted as follows:

For other trains (trains not qualifying as unit trains), the maximum tonnage will not exceed the tonnage determined by the tonnage rating for two AC4400 and one C40-8 or CW40-8 locomotives, not to exceed 14,000 tons.

5557 SWITCHING

When switching cars, the following tonnage/car counts must be adhered to. When this tonnage/car count is exceeded, the minimum cars with air cut-in must be used.

Locomotive	Tonnage	Minimum Cars with Air
Single & two or more locomotives	Less than 8,000	0
	More than 8,000	5

6. INSTRUCTIONS RELATING TO RESTRICTED EQUIPMENT

MP	Location	Equipment	Restriction
OTY 127.5	Jersey Pike Stg	6-Axle Locomotives	Prohibited
OTY 127.6	Propex / Rocktenn Lead	6-Axle Locomotives - Cars over 263,000 lbs	
OWA 26.8	Boise	6-Axle Locomotives	
OWA 27.5	M&M		
OWA 27.9	Vulcan		
OWA 28.3	Probuild Lumber		
OWA 28.4	Kennesaw House Trk		
OWA 43.0	Emerson House Trk		
OWA 46.1	The Hole	Cars over 80 FT long	
OWA 48.6	W&A Wye		
OWA 53.5	Shaw		
OWA 78.0	House Trk		
OWA 90.0	Franklin Mineral		
OWA 93.1	ET Converters		
OWA 99.0	Dalton Yard Trks		
OWA 104.0	Rocky Face		
OWA 107.1	Tunnel Hill Feed Mill		
OWA 126.5	Lease Trk/BASF		
OWA 127.0	Red Food lead		
OWA 127.8	Vulcan		
OWA 138.5	Craven Yard		

7. CLOSE CLEARANCE

MP	Location	Remarks
OWA 127.0	Farley & Sathers	All
OWA 127.0	WNA/Amer Plastic	
OWA 126.5	BASF	
OWA 104.0	Almatis	
OWA 96.0	Mohawk	
OWA 96.0	Dalton Ramp	
OWA 96.0	New South	
OWA 88.0	Dow/Styron	
OWA 81.2	Pilgrims Pride	
OWA 81.2	Southern States	
OWA 75.6	Omnova	
OWA 75.6	Berry Plastics	
OWA 74.5	Kerry Ingredients	

MP	Location	Remarks
OWA 46 1	Chem Prod Corp	All
OWA 46 1	Textile Rubber & Chem	
OWA 46 1	Applied Thermoplastic	
OWA 46 1	Southern Color & Chem	
OWA 32.2	National Cement	
OWA 29 9	Huber	
OWA 29 9	Brentag Mid	
OWA 26 8	Atlanta Bonded	
OTY 126 8	Propex	
OTY 126 8	Rock Tenn	

8. MISCELLANEOUS**GENERAL MISCELLANEOUS**

SGC 633.3 Stilesboro, GA – Georgia Power Plant – Any coal train or trains that are left in S1 or S2 at Stilesboro (Georgia Power Plant) will need to have the Dump Line turned in on the locomotive and before leaving the property, the crew must make sure the train or trains has all Dump Lines laced up and air throughout the entire trains Dump Line.

OTY 128.5 Volkswagen Industry – Crews need to contact the Shortline Yardmaster on Channel 033 or by telephone 423-827-6914 during daylight hours, Mon – Fri only. Outside of that, no contact is necessary.

Stilesboro – Loaded Coal Trains Departing Wauhatchie – Be sure train has good dump air. This means changing leaking gaskets, lacing any dump lines that are not laced and replacing any hoses should the Glad Hands be damaged from dragging in route. Cut in air at locomotives and verify air is going through to the bottom of the train. Let train charge dump pressure all the way to the plant. Trains must be able to dump on arrival. If there is an issue that could not be resolved, let the plant know on arrival.

ADDITIONAL STATIONS

MP	Station	Switch Opening
OWA 26 4	Boise Lead (off #2 Main)	South
OWA 28 2	Jasper Lumber #1 Main	
OWA 28 5	Kennesaw House Trk #2 Main	North
OWA 30 0	Brentag/JM Huber #1 Main	South
OWA 32 2	National Cement	North
OWA 43 0	Emerson House (off CSDG)	
OWA 46 1	The Hole	South
OWA 53 5	Shaw	
OWA 69 2	Shaw Industries	
OWA 75 6	OMNOVA	
OWA 80 8	CAF Extruders	
OWA 81 0	Pilgrims Pride	North
OWA 81 6		South
OWA 88 0	Dow Chemical/Styron	
OWA 90 0	Franklin Mineral/Tilton CSDG	North
OWA 98 9	South Dalton Yard	

MP	Station	Switch Opening
OWA 99.2	North Dalton Yard	South
OWA 104.0	Rocky Face	
OWA 107.1	Tunnel Hill Stg	
OWA 126.2	Chicamauga/BASF	
OWA 126.5		
OWA 127.0	Red Food Lead	North
OWA 127.8	Vulcan House Trk	South
OWA 133.0	Chattanooga Lumber	North
OWA 138.1	Alton Park Jct #1 Main	South
OWA 138.5	Cravens Yard #2 Main	

9. HIGHWAY ROAD CROSSINGS**203.2 LOCOMOTIVE BELL AND HORN**

The following locomotive bell and horn requirements apply when approaching and passing through the highway-rail crossings identified in this table

The locomotive bell and horn must be operated, as prescribed by applicable Operating Rules, when any of the following conditions are encountered

- In cases of an emergency, or
- When Roadway Workers are present, or
- When people are present, or
- When notified of a highway-rail crossing malfunction.

MP / Location	Xing Type	DOT#	Horn	Bell	Hours
OWA 25.00 / Mossy Rock Road	PB	340402U	No	Yes	Cont
OWA 26.00 / Stanley Road		340403B			
OWA 32.21 / New McEver Rd / CR 87		340409S			
OWA 33.63 / Acworth Industrial Dr	FQ	340414N			
OWA 34.32 / Smith St		340417J			
OWA 34.69 / Lemon St		351830W			
OWA 34.85 / School St		340419X			

ROAD CROSSINGS AT GRADE EQUIPPED WITH AUTOMATIC WARNING DEVICES

MP	Location	DOT#	Type
OWA 130.34	Harrison Pike	350043H	M
OWA 128.87	Light Foot Mills Rd	350038L	P
OWA 127.88	Cromwell Rd	350036X	
OWA 121.69	Julian Rd	350025K	M
OWA 121.26	Julian Rd	340586W	
OWA 120.50	Graysville Rd	340584H	C
OWA 117.49	Greenwood Rd	340571G	P
OWA 117.40	Sanders Rd	340581M	M
OWA 116.22	Lovingood Dr	340579L	
OWA 115.21	Tennessee St	340577X	C
OWA 114.66	High St	340576R	
OWA 109.97	Bandy Rd	340568Y	M
OWA 108.57	Dogwood Valley Rd	340565D	C
OWA 106.88	Oak St	340562H	
OWA 104.46	Lake Catherine Cr	340560U	M

MP	Location	DOT#	Type
OWA 104.40	Beavers Rd	340559A	P
OWA 102.62	Willow Dale Rd	340556E	M
OWA 99.79	E Tyler St	340551V	C
OWA 99.54	Selvidge St	340550N	
OWA 99.43	Hawthorne St	340549U	
OWA 99.38	N Hamilton St	340547F	
OWA 98.89	West Morris	340545S	M
OWA 98.71	East Emory St	340544K	
OWA 96.67	Industrial Blvd	340543D	
OWA 96.08	McFarland Rd/ CR 395	340542W	
OWA 95.71	Brickyard Rd	340541P	P
OWA 94.85	Five Springs Rd	340540H	
OWA 92.25	Old Dixie Hwy	340538G	
OWA 90.85	Old Tilton Rd	340537A	
OWA 90.21	Tilton Bridge Rd	340536T	M
OWA 89.96	Tilton	340535L	
OWA 88.82	Nance Spring	340533X	
OWA 87.95	Prosser Rd	340530C	
OWA 84.01	SR 136	340521D	C
OWA 82.95	Craigtown Rd	340520W	
OWA 81.64	Damascus Church	340518V	
OWA 80.77	Old Dalton Hwy	340517N	
OWA 79.47	Henderson Bend	340514T	M
OWA 79.11	Maudlin	340513L	
OWA 79.03	CL Moss Pkwy	351796S	
OWA 78.49	Fain St	340510R	
OWA 78.34	Line	340509W	P
OWA 78.12	Court St	340508P	
OWA 78.05	Oothcalooga	340507H	
OWA 77.70	Maple	340506B	
OWA 77.34	Oak St	340505U	M
OWA 74.60	Salem	340499T	
OWA 73.24	Darby	340498L	
OWA 72.30	South Holcomb	340496X	
OWA 70.96	Miller Ferry	340494J	M
OWA 69.67	Woody	340493C	
OWA 68.98	George	340491N	
OWA 68.72	King	340490G	
OWA 68.46	Park	340489M	C
OWA 68.41	Gilmer	340488F	
OWA 68.27	Chestnut	340487Y	
OWA 67.58	White	340486S	
OWA 65.28	Jarrett Loop	340482P	M
OWA 64.70	Jarrett Loop	340481H	
OWA 63.66	Old CCC Rd	340479G	
OWA 61.70	Old Hall Station Rd	340476L	
OWA 58.72	Johnson St	340467M	C
OWA 58.55	Church St	340464S	
OWA 53.76	Hamilton Crossing	340460P	
OWA 52.30	Burnt Hickory Rd	340458N	
OWA 50.89	Iron Belt Rd	340457G	M
OWA 47.94	Carter	340445M	
OWA 47.62	Cherokee Ave	340442S	
OWA 47.55	East Main	340441K	
OWA 47.45	Leake	340440D	P
OWA 47.32	West Ave	340439J	
OWA 43.06	Gaston Westbrook	340430X	
OWA 39.58	Alfatoona Pass Rd	340427P	

MP	Location	DOT#	Type
OWA 38.37	CR 397/Sandtown Rd	340426H	C
OWA 36.40	Tapps Rd	340425B	
OWA 34.85	School St	340419X	
OWA 34.69	Lemon St	351830W	
OWA 34.32	Smith	340417J	P
OWA 33.63	Acworth Ind/ Cowan	340414N	
OWA 32.21	CR 87/ New McEver Rd	340409S	
OWA 28.65	Cherokee St	340408K	
OWA 26.02	Stanley Rd	340403B	M
OWA 25.00	Mossy Rock Rd	340402U	
OWA 23.59	White Circle	340400F	
OTY 127.53	Jersey Pike	350078J	

10. TERMINAL INSTRUCTIONS

NONE

11. LOADED UNIT CRUDE OIL TRAINS

NONE