

Before the
SURFACE TRANSPORTATION BOARD

Finance Docket No. 35087 (Sub No. 8)

**CANADIAN NATIONAL RAILWAY COMPANY AND GRAND TRUNK
CORPORATION – CONTROL – E J & E WEST COMPANY**

**MOTION TO SUPPLEMENT PETITION SEEKING RECONSIDERATION OF
DECISION OF THE SURFACE TRANSPORTATION BOARD
SERVED APRIL 26, 2017 AND REQUEST FOR BOARD TO TAKE
FURTHER ACTION BASED ON DATA IN THE 2015 WAYBILL STUDY**

**Richard H. Streeter
Law Office of Richard H. Streeter
5255 Partridge Lane, N.W.
Washington, D.C. 20016
202-363-2011
rhstreeter@gmail.com**

**Counsel for the
VILLAGE OF BARRINGTON, IL**

Dated: September 12, 2017

On May 16, 2017, the Village of Barrington, Illinois (Barrington), pursuant to 49 C.F.R. § 1115.3, filed a Petition for Reconsideration of the Board's April 26, 2017 Decision that denied the joint petition to reopen filed January 13, 2017, by Barrington and Illinois Department of Transportation (IDOT). That also respectfully requested the Board allow new traffic delay evidence -- that was performed in February 2017 -- to be introduced into the record of the proceedings to facilitate the Board's proper consideration of recent vehicle delay conditions on U. S. Highway 14 at the rail line. Although Petitioner disagrees with the Board's refusal to extend the oversight period, Barrington only requested the Board to reconsider its decision not to require CN to pay the remaining \$37 million cost to complete the construction of a grade separation at the intersection of U.S. Hwy. 14 and the EJ&E Line in Barrington. The Petition for Reconsideration is still pending before the Board.

This Motion is made as a supplement to the May 16, 2017 pleading, as it provides additional and highly pertinent information in support of Barrington's position in the pending proceedings. We ask that the Board accept this motion to supplement the record so that the Board can undertake a more precise evaluation of that May 2017 Motion for Reconsideration and the material impact of its approval of CN's acquisition of the EJ&E, in light of new evidence presented herein. Petitioners believe that when taken as a whole with the Petition for Reconsideration, the information presented in this supplemental pleading should cause the Board -- at its own discretion -- to undertake further due diligence of CN operations and their post-transaction impact on

Barrington. When followed through to the logical conclusion, this Board examination of readily available data should lead the Board to reverse its current denial of grade separation mitigation at U.S. Highway 14 in Barrington in recognition that the harms in Barrington are in line with those of the two other impacted municipalities that were awarded grade separation mitigation by Board order in 2008.

Background:

Following the 2008 transaction approval, Barrington has not only filed oversight appeals before the Surface Transportation Board, but has also made every effort to secure discretionary federal transportation grants to build the grade separation that is necessitated only by CN's operations on the EJ&E rail line. These efforts were met with initial success in 2010, when Barrington was awarded \$3.2 million for the NEPA review phase of the project -- the largest planning TIGER grant ever announced by the USDOT. Those grant monies were well invested as they were expended in a timely fashion and on budget and resulted in an approved design for the grade separation. This allowed Barrington to provide accurate acquisition, engineering, and construction costs when seeking oversight relief from the Board, as well as in six additional TIGER and two FASTLANE grant applications filed since that time.

New Evidence of CN Falsifying Operational Data It Reports to the FRA.

As the Board is likely aware, under the Trump Administration a new discretionary funding program has been announced -- INFRA --with

applications due on November 2, 2017. It is through conversations about that funding program with USDOT personnel that Barrington was inadvertently made aware **on August 3, 2017** of the full and negative import of a problem that has vexed the Village since 2015 – that of CN reporting inaccurate operational data to the FRA’s National Grade Crossing Inventory Reporting Program.

A similar issue initially came to Barrington’s attention in February 2015, when the Chicago Metropolitan Agency for Planning (CMAP) announced its new interactive database¹ of grade crossing delays. That database failed to accurately depict the actual operations of CN trains that travel across four Village grade crossings within a span of 5,918 feet in downtown Barrington.²

As can be noted in a cursory review of that database link, CMAP uses the data it receives from the Illinois Commerce Commission that is collected via the FRA Inventory to calculate crossing delays based on the number and speed of trains operating in its planning region. CMAP then ranks the crossings in a “Top 10” delays list.

Despite the reality that the delays at the U.S. Highway 14 crossing in Barrington should have it included on that “Top Ten” list of congested

¹ <http://www.cmap.illinois.gov/mobility/explore#/topic/freight/crossing-delay>

² Barrington alerted CMAP of its concern in 2015 and was under the impression that this was a simple oversight by CN that would be remedied in 2016. Please see the attached correspondence on the matter As Appendix A.

Chicagoland rail crossings with delays of 98 to 111 hours daily³ -- it is not. In fact, that particular crossing would rank at 7th on the “Top Ten” list of nearly 1500 grade crossings in the greater Chicagoland area, but is not included because CN did not provide to the FRA until January 13 of this year the partially accurate data as required by federal law since October 16, 2010 (detailed in USC Title 49, Subchapters 234.401 through 234.415.)

Because CN had failed to provide accurate information about train volumes and speeds to the National Grade Crossing Inventory Reporting Program prior to January 13, 2017, Barrington has likely suffered negative consequences in its efforts to secure additional federal funds to build a grade separation necessitated only by CN’s freight operations through the Village. USDOT personnel explicitly told Barrington staff and consultants in early August of this year that their personnel reviewing TIGER and FASTLANE grant applications routinely use the FRA Inventory to vet the accuracy of information provided by grant applicants. By providing inaccurate information to FRA for so many years since purchasing the EJ&E, CN has essentially undercut Barrington’s repeated efforts since 2010 to secure additional federal funding for the grade separation project at U.S. Highway 14. It would appear that CN only

³ This daily delay figure is derived from Barrington’s 2011 VISSIM traffic study performed by Civiltech. The validity of this daily delay time span has never been refuted by the Board.

provided more accurate information on January 13, 2017⁴ – just as the Board’s oversight of this transaction was about to end.

As to the newly updated operational data, while CN is now reporting that it operates 17 trains through Barrington each day, this is a slight undercount based on the 2016 monthly data CN provided to the Board that shows the average number of trains traveling on that section of the line had reached 18.1 trains daily. More importantly, CN has failed to report to the FRA that its trains are now moving at speeds far slower than the stated 45 mph timetable speed indicated in the FRA reporting. In the January 30, 2017 filing before the Surface Transportation Board, CN stated that it reduced allowable maximum speeds to 30 mph at the Barrington Interlocking at some point prior to October 2015⁵. Thus, it is unquestionable that CN is telling two different stories to two different federal regulators for its own purposes. Because both claims cannot be simultaneously accurate, it is important that CN provide federal, state, and regional transportation planning bodies accurate information upon which they can make critical infrastructure investment decisions. Barrington is currently pressing that case before the FRA.⁶

⁴ The history of the Grade Crossing Inventory Data filings is attached as Appendix B.

⁵ See FN3 of Page 5 of the Verified Statement of John Orr attached to CN’s January 30, 2017 filing before the Board.

⁶ See Barrington correspondence with the FRA in Appendix C.

New Evidence of CN Misleading the Board on Port of Prince Rupert Expansion.

In its January 30, 2017 Reply in this current proceeding, CN continued to claim (as it has since October 21, 2008) that an expansion of the Port of Prince Rupert is not certain.⁷ According to the Verified Statement of Keith Reardon, Vice-President Intermodal Services: ***“Whether Phase II of the Fairview Container Terminal will be completed and precisely when is uncertain. Assuming it is completed, the additional traffic volumes it could generate are uncertain.”*** However, in joining with the “Port of Prince Rupert, DP World and other community leaders,” Luc Jobin, CN’s President and Chief Executive Officer, made it very clear that CN has actively collaborated with the Port, and the terminal operators, over the last decade to ensure that expansion would be completed. This strongly suggests that CN was, at best, less than candid with the Board about the Phase II expansion ever being uncertain.

Furthermore, in the August 29, 2017 press release extolling the expansion of the port, CN stated: *“CN (today joined its supply chain partners, the Port of Prince Rupert and DP World, in marking the 10th anniversary of the Fairview Container Terminal and **celebrating the facility's expansion.** ... The last decade of supply chain collaboration between the port, terminal operators, CN and other partners has become the model for how to establish and grow a trade corridor.”* As the press release notes, *“[t]he terminal opened in*

⁷ See Appendix D for a copy of the October 21, 2008 letter from CN Counsel to the Board clarifying the potential for CN Intermodal traffic originating from PPR.

2007 at the western terminus of CN's transcontinental network. At that time, the terminal received weekly service from Cosco and a single train per week. Today, the world's major steamship companies call on the port, and with more than 15 trains a week from Rupert, it accounts for 20 percent of CN's intermodal business." How is it possible that just seven months before CN announces its decade-long collaboration with Port authorities to expand the Port of Prince Rupert (PPR) the CN executive with direct responsibility for CN's Intermodal business would explicitly tell the Board that its expansion was still an unknown as it tried to deflect Barrington's arguments?

As the record since 2007 reflects, CN has repeatedly minimized Barrington's concerns about PPR when Barrington asked the Board to consider the potential impact of the expansion of the port's intermodal facility from the original 300,000 20-foot equivalent units (TEU's) moving through the terminal during the Board's NEPA process in 2008 to the 1.35 million TEU's promised by this latest expansion⁸. CN claimed as late as earlier this year that questions existed as to "[w]hether Phase II of the Fairview Container Terminal will be completed" and that the precise date of completion was uncertain. Unfortunately, the Board accepted CN's baseless assertion that the expansion of the PPR terminal was uncertain.⁹

As of this date, Barrington has sought to counter CN's arguments that impacts from its operations in Barrington are as the Board expected by

⁸ See Appendix D at 2.

⁹ Decision, April 26, 2017, at p. 6.

focusing on the greatly expanded length of trains and slower operating speeds. CN, in turn, has relied on mere projections to counter Barrington's presentations. It is respectfully submitted that Barrington has repeatedly attempted to draw attention to the problem head-on by presenting multiple traffic studies, CN's operating reports, and media stories that demonstrated the shortcomings of CN's projections about traffic impacts in Barrington stemming from its operations. However, all of Petitioner's efforts have been effectively blocked by the Board's refusal to move beyond CN's barebones projections regarding the number of trains it operates on the line segment running through Barrington.

Without taking into account the number of carloads CN hauls and at what speeds its train operate, the sole reliance on the number of trains CN is operating cannot possibly provide the full data set the Board needs to test post-transaction whether its pre-transaction assumptions are accurate. Short trains operating at a high speed create one set of vehicular delay projections that would, by necessity, be radically different than delays caused by much longer trains running at far slower speeds. That differential is at the crux of Barrington's plea to the Board to measure post-transaction impacts in a logical fashion not wholly based on the number of trains CN operates.

By focusing solely on the number of trains and CN's comments that "only a portion of PPR traffic moves through Barrington," the Board has failed to consider the fact that CN has opened new intermodal facilities to the south of

Barrington that would not be required if the trains continued to be limited to less than 6,000 feet of railcars.¹⁰

Because the Board has generally taken the position that CN's claims are accurate in the transaction's oversight proceedings before the Board, this new information suggests that the Board should vet – of its own volition -- the claims of both Barrington and CN to determine definitively if the Board's pre-approval congestion analysis has proven accurate.

Petitioner respectfully requests the Board to undertake its own analysis of the increase in carload traffic through Barrington since 2009, when CN commenced operations over the EJ&E line. As the record reflects, CN has never furnished the Board with any carload count. Instead, it has repeatedly called attention to the fact that it has not exceeded the number of additional trains per day than it projected at the onset of the proceeding in 2007.

The Board Should Review CN's Impact Based on Data Gleaned from the 2015 Waybill Study.

As the Board is well aware, it is now in possession of irrefutable, accurate information that would demonstrate beyond any reasonable doubt the increase in the number of cars that have moved through Barrington from 2009 to 2015. As the Board has recently announced, it “has received the 2015 Waybill Sample from RailInc Corp., and has begun the audit and quality assurance process.” While it continues its review, Barrington urges the Board

¹⁰ Decision, April 26, 2017, at p. 6.

to take the unprecedented opportunity to determine the actual number of carloads that have moved through Barrington, rather than focus on CN's outdated and misleading projections regarding the number of daily trains.

By looking at the 2015 Waybill Sample data from RailInc that the Board says it will release to the public this month once the Board's audit and quality assurance process has been completed, it should be relatively easy for the Board to assess whether CN's longer and slower trains have made a material difference on congestion in Barrington. Given that this particular crossing would rate as the 7th most congested of the Chicagoland region's nearly 1,500 highway-rail grade crossings, the importance of undertaking such a review cannot be emphasized enough.

In short, there is no reason for the Board to rest on mere projections when it has the means based on new evidence drawn from the soon-to-be-released 2015 Waybill Study to determine the actual impact caused by past operations, instead of relying on questionable pre-transaction projections of those impacts. Barrington urges the Board, on its own motion, to undertake the first thorough examination of the material impacts of the approved transaction based on indisputable evidence gleaned from the 2015 Waybill Study. Barrington is confident that this data will support Barrington's claims, and cause the Board to order CN to "fix what it broke" by funding the remaining \$37 million necessary to complete the U.S. Highway 14 grade separation project.

Respectfully submitted,

/s/ Richard H. Streeter

Richard H. Streeter
Law Office of Richard H. Streeter
5255 Partridge Lane, N.W.
Washington, D.C. 20016
202-363-2011
rhstreeter@gmail.com
Counsel for the Village of Barrington, IL

Dated: September 12, 2017

CERTIFICATE OF SERVICE

I, Richard H. Streeter, certify that I have this 12th day of September, 2017, served a true copy of the Motion to Supplement Petition for Reconsideration filed by the Village of Barrington, IL, by e-mail, upon:

Harkins Cunningham LLP
1700 K Street, N.W., Suite 400
Washington, D.C. 20006-3804

David A. Hirsh
dhirsh@harkinscunningham.com
Simon A. Steel
ssteel@harkinscunningham.com
James M. Guinivan
jguinivan@harkinscunningham.com
Matthew W. Ludwig
mludwig@harkinscunningham.com

Sean Finn
Canadian National Railway Company
P.O. Box 8100
Montréal, QC H3B 2M9
sean.finn@cn.ca

Theodore K. Kalick
Canadian National Railway Company
Suite 500 North Building
601 Pennsylvania Avenue, N.W.
Washington, D.C. 20004-3608
ted.kalick@cn.ca

All other parties of record were served by first-class, postage prepaid mail.

Richard H. Streeter /s/

Richard H. Streeter

VILLAGE OF

a great place to live, work, and play



BARRINGTON

February 3, 2015

Ms. Jill Leary
Acting Director
Chicago Metropolitan Agency for Planning (CMAP)
233 South Wacker Drive, Suite 800
Chicago, Illinois 60606

Via Email

Dear Ms. Leary;

I wanted to bring to your attention a serious flaw with data detailed in the "Mobility" portal that CMAP launched on its website last week. I bring this to your attention for correction because I'd hate to see CMAP's vital regional planning efforts undermined by using flawed third-party data -- over which you have no control -- to support future transportation planning proposals.

As you can imagine, when I saw the Chicago Tribune article about this portal I was particularly interested in reviewing the grade crossing delay figures for the four EJ&E crossings in Barrington because we have been seeking redress for traffic gridlock created in the Village as a result of CN's purchase of the rail line in 2009. In fact, we currently have a mitigation petition pending before the Surface Transportation Board seeking that it order CN to pay the remaining \$50 million needed to build a roadway underpass at U.S. Highway 14 where it meets with the EJ&E rail line.

On October 15, 2010, the USDOT awarded Barrington a \$2.8 million TIGER II grant for the Phase I engineering/environmental review for a grade separation at the crossing and CMAP supported our request in the grant proposal package. That grant confirmed that U.S. Highway 14 has a significant regional impact. In addition to the \$2.8 million TIGER II planning grant for Phase I (the largest of the TIGER II planning grants awarded in that round), IDOT provided the local match of \$700,000. PHASE I was completed and IDOT approved the project design in September, 2014, so we are ready to move forward as soon as the additional funding is secured.

VILLAGE HALL
200 S. HOUGH ST.
BARRINGTON, IL 60010
(847) 304-3400

PRESIDENT & BOARD
MANAGER'S OFFICE
TEL (847) 304-3444
FAX (847) 304-3490

COMMUNITY AND
FINANCIAL SERVICES
TEL (847) 304-3400
FAX (847) 381-7506

DEVELOPMENT SERVICES
TEL (847) 304-3460
FAX (847) 381-1056

PUBLIC WORKS
300 N. RAYMOND AVE.
BARRINGTON, IL 60010
TEL (847) 381-7903
FAX (847) 382-3030

PUBLIC SAFETY
400 N. NORTHWEST HWY.
BARRINGTON, IL 60010

POLICE
TEL (847) 304-3300
FAX (847) 381-2165

FIRE
TEL (847) 304-3600
FAX (847) 381-1889

The Mobility data we reviewed was for the four crossings at Lake Zurich Road, Northwest Highway (US 14), Hough Street (IL 59) in Lake County and Main Street (Lake Cook Rd) in Cook County. Unfortunately, the crossing delay figures for those four Barrington crossings are not even remotely in line with reality.

As a case in point, for U.S. Highway 14, the CMAP data notes that 132 vehicles were delayed at that crossing for an average of 1.77 minutes amounting to 2.14 total hours of daily aggregate delay. Those figures cannot be reconciled with IDOT's figure of a 29,000 ADT at that crossing and the substantial queuing on Northwest Highway that results from blockages caused by the 18 to 19 daily freight trains currently running on the EJ&E. In 2011, Barrington commissioned a VISSIM traffic analysis by Civiltech and the delay figures for that crossing showed that we will be experiencing 98 total hours of daily delay there by the end of this year. As you can see, this is not a minor rounding discrepancy!

As a result of this, we followed up with Tom Garritano on your CMAP staff and he was good enough to refer us to the ICC where the data originated. Just yesterday morning, we received an email response from Steve Laffey at the ICC that clarifies where this data is derived from:

"The source of the data used in the analysis is primarily FRA's grade crossing inventory system with certain items, such as railroad line segment name and segment type, provided by the ICC. The grade crossing inventory system is a voluntary system where state DOTs and railroads provide information to the FRA (and for Illinois crossings, concurrently to the ICC). The railroad is responsible for some items (train counts and speeds) and the state DOT others (AADT); ICC does not collect train count or AADT data."

Mr. Laffey provided us with the data sheets used for the calculations and we have seen that even the most recent data from March 31, 2013 does NOT include CN's operations on the EJ&E. That data sheet just shows three trains running on our segment of the rail line, rather than the average 2014 daily train volumes of 17.7 trains per day (that CN shared with Barrington and the STB as recently as January 26, 2015.) In fact, CN has now admitted that as many as 25 trains a day have already passed through Barrington on multiple occasions. In addition to the number of trains, the speed of the trains in the ICC data set is inaccurate. The ICC uses the "maximum time table speed" for the basis of its calculations -- or 45 mph at that particular crossing. However, Civiltech actually measured train speeds at the U.S. 14 crossing in 2011, and CN's freight trains were averaging only 32 mph. The bottom line is that it's clear that

February 3, 2015

Page 3


CN has not provided any updates on its EJ&E operations to the FRA or ICC, so we have a case of 'junk in, junk out' data analysis that begins and ends with CN.

As a first course of action, it is imperative that the Mobility data for the whole of the EJ&E be removed from CMAP's website as soon as possible because it's clear that the basis for that particular data is flawed. However, my concerns go far beyond just the EJ&E because the traffic that was running on CN's core lines through Chicago prior to the railroad's acquisition of the EJ&E is likely still counted into the data for those lines and thus impacting the accuracy of the crossing delays for the entire Chicago rail network. To the extent that CMAP can vet the accuracy of the data for other crossings in the region with local municipal leaders, or ask the FRA or ICC to conduct a spot audit, that would seem advisable.

After these initial adjustments are made on the Mobility portal, I would like to work with CMAP to discuss the issue with IDOT and the FRA (and perhaps our congressional delegation) to see what can be done to secure accurate data from the railroads moving forward. While it is now a voluntary effort on the part of the railroads, perhaps supplying this data needs to be made mandatory with an accompanying auditing process instituted. Because greater Chicagoland is the nation's largest freight hub, it is vital that the railroads be held accountable for the operational data they supply to Illinois and our regional planning organizations.

I look forward to working with you on this issue to insure that the region's long-range transportation planning efforts are accurately data-driven.

Sincerely,



Karen Y. Darch
President, Village Board

cc:

Gerald Bennett, Chairman, CMAP

Joseph Szabo, Senior Fellow, CMAP

Tom Weisner, Mayor, Aurora & TRAC Co-Chair



Chicago Metropolitan Agency for Planning

233 South Wacker Drive
Suite 800
Chicago, IL 60606
312-454-0400
www.cmap.illinois.gov

February 11, 2015

Via e-mail:
kdarch@barrington-il.gov
and First Class U.S. Mail

The Honorable Karen Darch, Village President
Village of Barrington
200 South Hough Street
Barrington, Illinois 60010

Dear President Darch:

Regarding your recent letter about data related to crossing delays, I certainly understand your concerns about EJ&E impacts and federal reporting requirements for railroads. Your letter highlights the importance of making data public, because doing so sheds light on processes that can be improved at all levels of government. So thank you for taking the time to comment.

We have investigated further, as described below. First, I will describe the federal process for compiling the national rail inventory. And second, I will address your concerns about our website's use of the federal data for Lake Zurich Road, Northwest Highway (US 14), Hough Street (IL 59) in Lake County, and Main Street (Lake Cook Road) in Cook County.

National Highway-Rail Crossing Inventory

Described at

<http://safetydata.fra.dot.gov/OfficeofSafety/publicsite/GcisNewRequirements.aspx>, a new federal rule will take effect on March 7, 2015, requiring the railroads to update their entries in the National Highway-Rail Crossing Inventory no less than every three years. Previously, they have been required to update their records in the inventory maintained by the Federal Rail Administration (FRA) only when the physical characteristics of a crossing have changed and not, for example, when the number of trains at a crossing has increased.

The 2013 national inventory data for the four crossings does not differ substantially from the 2011 data. However, recent filings to the Surface Transportation Board (STB) by the Canadian National Railway (CN) do demonstrate that the federal inventory is not current for these four crossings. The new federal rule means that CN will have until March 7, 2016, to make all their FRA inventory entries current, and then the three-year update cycle will begin.

Board Members

Gerald Bennett, Chair
Rita Athas
Frank Beal
Elliott Hartstein
Al Larson
Lisa Laws
Andrew Madigan
John Noak
Raul Raymundo
Rick Reinbold
William Rodeghier
Carolyn Schofield
Peter Silvestri
Rae Rupp Srch
Thomas Weisner

Non-voting Members

Bola Delano
Leanne Redden

Interim Executive Director

Jill Leary

February 11, 2015

Page 2

CMAP website

Staff at the Illinois Commerce Commission (ICC) are confident in their calculations of crossing delays, which are based on the best available federal inventory. While that federal process should be improved -- and, we believe, will be improved when the new reporting rule takes effect -- at present that national inventory is the one resource for observing our regional freight system historically for comparison of trends. The GO TO 2040 plan and its recent update rely on this important indicator.

Of course we believe the federal inventory should be improved, and we will incorporate those improvements in our own planning processes and materials. While we understand your concerns, CMAP cannot remove the entire map from our website. But we will remove the four crossings from the map and add the following text on our Sources page


(<http://www.cmap.illinois.gov/mobility/explore/sources/>):

"Please note that this map omits data on crossing delays at four crossings that have been affected significantly since the Canadian National Railway (CN) acquisition of the Elgin, Joliet, and Eastern Railway (EJ&E). Because the National Highway-Rail Crossing Inventory entries for those crossings may not reflect current conditions, CMAP has elected to omit the following: Lake Zurich Road, Northwest Highway (US 14), Hough Street (IL 59) in Lake County, and Main Street (Lake Cook Road) in Cook County."

We will work with ICC staff to update the map from 2011 to 2013 data, but as mentioned above, that update will not result in significant differences for the four crossings due to the federal inventory process. Our hope is that the new federal reporting requirements will in 2016 result in an improved inventory for the U.S., our state, and our region.

Again, thank you for carefully articulating your concerns and CMAP will continue to work with you in addressing the impacts of increased freight traffic in Barrington. Please let me know if you have additional questions.

Sincerely,



Jill Leary
Interim Executive Director

TG:JL/stk

cc: Gerald R. Bennett-CMAP Board Chair, Mayor City of Palos Hills
Tom Weisner-CMAP Board, Mayor City of Aurora
Carrie Ann Ergo, City of Aurora
Sue Gaffino, City of Aurora

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 05 / 10 / 2017	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Wisconsin Central Ltd. (also Railway) [WC]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP , CN ,		
9. Railroad Division or Region ☐ None CHICAGO TERM		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)					
13. Line Segment * SC00061819		14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A CN	
16. Crossing Owner (if applicable) ☐ N/A WC					
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☒ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☒ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use * MAIN			31.D. State Use * NOE 4/4/2008		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * IDOT Hwy Data Update for 2017 @ 5/9/2017		
33. Emergency Notification Telephone No. (posted) 800-465-9239		34. Railroad Contact (Telephone No.) 888-888-5909		35. State Contact (Telephone No.) 217-782-0378	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 6	1.B. Total Night Thru Trains (6 PM to 6 AM) 11	1.C. Total Switching Trains 0	1.D. Total Transit Trains 0	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY) 2016				
3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 1 to 45				
4. Type and Count of Tracks Main 1 Siding 0 Yard 0 Transit 0 Industry 0				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☒ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 05/10/2017		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 4		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☒ None ☐ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway <u>2</u> Pedestrian _____		3.B. Gate Configuration ☒ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane <u>2</u> ☐ Incandescent Not Over Traffic Lane <u>0</u> ☒ LED	
3.D. Mast Mounted Flashing Lights (count of masts) <u>2</u> ☐ Incandescent ☒ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☒ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count <u>0</u> Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☒ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes <u>4</u> ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) <u>75</u>		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year <u>2015</u> AADT <u>026200</u>		8. Estimated Percent Trucks <u>4</u> %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day _____	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 05 / 09 / 2017	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Wisconsin Central Ltd. (also Railway) [WC]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP , CN ,		
9. Railroad Division or Region ☐ None CHICAGO TERM		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment * SC00061819			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A CN		16. Crossing Owner (if applicable) ☐ N/A WC	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☒ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☒ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use * MAIN			31.D. State Use * NOE 4/4/2008		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * IDOT Hwy Data Update for 2017 @ 5/9/2017		
33. Emergency Notification Telephone No. (posted) 800-465-9239		34. Railroad Contact (Telephone No.) 888-888-5909		35. State Contact (Telephone No.) 217-782-0378	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 6	1.B. Total Night Thru Trains (6 PM to 6 AM) 11	1.C. Total Switching Trains 0	1.D. Total Transit Trains 0	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY) 2016		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 1 to 45		
4. Type and Count of Tracks Main 1 Siding 0 Yard 0 Transit 0 Industry 0				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☒ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 05/09/2017		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 4		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☒ None ☐ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway <u>2</u> Pedestrian _____		3.B. Gate Configuration ☒ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane <u>2</u> ☐ Incandescent Not Over Traffic Lane <u>0</u> ☒ LED	
3.D. Mast Mounted Flashing Lights (count of masts) <u>2</u> ☐ Incandescent ☒ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☒ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count <u>0</u> Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☒ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes <u>4</u> ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) <u>75</u>		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year <u>2015</u> AADT <u>010450</u>		8. Estimated Percent Trucks <u>10</u> %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day _____	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 01 / 13 / 2017	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Wisconsin Central Ltd. (also Railway) [WC]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP CN		
9. Railroad Division or Region ☐ None CHICAGO TERM		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)					
13. Line Segment * SC00061819		14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A CN	
16. Crossing Owner (if applicable) ☐ N/A WC					
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☒ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☒ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use * MAIN			31.D. State Use * NOE 4/4/2008		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 800-465-9239		34. Railroad Contact (Telephone No.) 888-888-5909		35. State Contact (Telephone No.) 217-782-0378	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 6	1.B. Total Night Thru Trains (6 PM to 6 AM) 11	1.C. Total Switching Trains 0	1.D. Total Transit Trains 0	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY) 2016		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 1 to 45		
4. Type and Count of Tracks Main 1 Siding 0 Yard 0 Transit 0 Industry 0				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☒ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 01/13/2017		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 4		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☒ None ☐ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway <u>2</u> Pedestrian _____		3.B. Gate Configuration ☒ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane <u>2</u> ☐ Incandescent Not Over Traffic Lane <u>0</u> ☒ LED	
3.D. Mast Mounted Flashing Lights (count of masts) <u>2</u> ☐ Incandescent ☒ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☒ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count <u>0</u> Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☒ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes <u>4</u> ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) <u>75</u>		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal Aid		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year <u>2013</u> AADT <u>028700</u>		8. Estimated Percent Trucks <u>03</u> _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day _____	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 01 / 13 / 2017	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Wisconsin Central Ltd. (also Railway) [WC]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP , CN ,		
9. Railroad Division or Region ☐ None CHICAGO TERM		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment * SC00061819			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A CN		16. Crossing Owner (if applicable) ☐ N/A WC	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☒ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☒ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use * MAIN		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use * NOE 4/4/2008			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 800-465-9239		34. Railroad Contact (Telephone No.) 888-888-5909		35. State Contact (Telephone No.) 217-782-0378	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 6	1.B. Total Night Thru Trains (6 PM to 6 AM) 11	1.C. Total Switching Trains 0	1.D. Total Transit Trains 0	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY) 2016		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 1 to 45		
4. Type and Count of Tracks Main 1 Siding 0 Yard 0 Transit 0 Industry 0				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☒ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 01/13/2017		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 4		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☒ None ☐ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway <u>2</u> Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane <u>2</u> ☐ Incandescent Not Over Traffic Lane <u>0</u> ☒ LED	
3.D. Mast Mounted Flashing Lights (count of masts) <u>2</u> ☐ Incandescent ☒ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☒ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count <u>0</u> Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☒ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes <u>4</u> ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) <u>75</u>		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year <u>2013</u> AADT <u>028700</u>		8. Estimated Percent Trucks <u>03</u> _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day _____	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 31 / 2014	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Wisconsin Central Ltd. (also Railway) [WC]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP , CN ,		
9. Railroad Division or Region ☐ None CHICAGO TERM		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment * SC00061819			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A WC	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Transit ☐ Intercity Passenger ☐ Shared Use Transit ☐ Commuter ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1615192		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309832	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use * MAIN		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use * NOE 4/4/2008			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 800-995-7908		35. State Contact (Telephone No.) 217-782-0378	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/31/2014		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes 4 ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2013 AADT 028700		8. Estimated Percent Trucks 03 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 05 / 09 / 2013	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Wisconsin Central Ltd. (also Railway) [WC]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP, CN		
9. Railroad Division or Region ☐ None CHICAGO TERM		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment * SC00061819			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A WC	
17. Crossing Type ☒ Public ☐ Private	18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.	19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	20. Public Access (if Private Crossing) ☐ Yes ☒ No	21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other	22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A	27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1615192		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309832		29. Lat/Long Source ☒ Actual ☐ Estimated
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use * MAIN			31.D. State Use * NOE 4/4/2008		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 800-995-7908		35. State Contact (Telephone No.) 217-782-0378	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week? _____
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 05/09/2013		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
2.L. LED Enhanced Signs (List types)					
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) ☐ 3 Quad Resistance ☐ 4 Quad Median Gates		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2					
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes 4 ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☒ (0) Rural ☐ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2011 AADT 028000		8. Estimated Percent Trucks 05 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 01 / 31 / 2013	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Wisconsin Central Ltd. (also Railway) [WC]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP , CN ,		
9. Railroad Division or Region ☐ None CHICAGO TERM		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment * SC00061819			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1615192		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309832	
29. Lat/Long Source ☒ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use * MAIN			31.D. State Use * NOE 4/4/2008		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 800-995-7908		35. State Contact (Telephone No.) 217-782-0378	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 01/31/2013		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
2.L. LED Enhanced Signs (List types)					
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) ☐ 3 Quad Resistance ☐ 4 Quad Median Gates		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2					
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☒ (0) Rural ☐ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2011 AADT 028000		8. Estimated Percent Trucks 05 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 31 / 2011	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP CN		
9. Railroad Division or Region ☐ None CHICAGO		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A			
16. Crossing Owner (if applicable) ☐ N/A EJE		17. Crossing Type ☒ Public ☐ Private			
18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over		20. Public Access (if Private Crossing) ☐ Yes ☒ No	
21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0			
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1615192		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309832	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use * MAIN		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use * NOE 4/4/2008			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 800-995-7908		35. State Contact (Telephone No.) 217-785-2353	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/31/2011		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes 4 ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☒ (0) Rural ☐ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2011 AADT 028000		8. Estimated Percent Trucks 05 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 10 / 15 / 2010	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP CN		
9. Railroad Division or Region ☐ None CHICAGO		10. Railroad Subdivision or District ☐ None LEIGHTON		11. Branch or Line Name ☐ None MAIN	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1615192		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309832	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use * MAIN		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use * NOE 4/4/2008			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 800-995-7908		35. State Contact (Telephone No.) 217-785-2353	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)				
3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45				
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 10/15/2010		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
2.L. LED Enhanced Signs (List types)					
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2					
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal Aid		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2009 AADT 026900		8. Estimated Percent Trucks 05 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 25 / 2010	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP , CN ,		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use *		31.C. State Use *			
31.D. State Use * NOE 4/4/2008		32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			
32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		33. Emergency Notification Telephone No. (posted) 630-262-2801			
34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 217-785-2353			

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/25/2010		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes 4 ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2009 AADT 026900		8. Estimated Percent Trucks 05 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 08 / 04 / 2008	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP CN		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A			
16. Crossing Owner (if applicable) ☐ N/A EJE		17. Crossing Type ☒ Public ☐ Private			
18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over		20. Public Access (if Private Crossing) ☐ Yes ☒ No	
21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0			
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use *		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use * NOE 4/4/2008			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 08/04/2008		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2007 AADT 026800		8. Estimated Percent Trucks 10 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 04 / 04 / 2008	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP , CN ,		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☒ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use *		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use * NOE 4/4/2008			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 04/04/2008		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) ☐ 3 Quad Resistance ☐ 4 Quad Median Gates		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes 4 ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2007 AADT 026800		8. Estimated Percent Trucks 10 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 31 / 2008	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. US14	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP CN		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/31/2008		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
2.L. LED Enhanced Signs (List types)					
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway <u>2</u> Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) ☐ 3 Quad Resistance ☐ 4 Quad Median Gates		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane <u>2</u> ☐ Incandescent Not Over Traffic Lane <u>0</u> ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) <u>2</u> ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2					
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count <u>0</u> Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes <u>4</u> ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) <u>75</u>			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 35 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year <u>2007</u> AADT <u>026800</u>		8. Estimated Percent Trucks <u>10</u> _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day <u>0</u>	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 11 / 14 / 2007	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP CN		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A			
16. Crossing Owner (if applicable) ☐ N/A EJE		17. Crossing Type ☒ Public ☐ Private			
18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over		20. Public Access (if Private Crossing) ☐ Yes ☒ No	
21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0			
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use *		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use *			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM - MULTI USE			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM - MULTI USE PA		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 11/14/2007		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☒ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
2.L. LED Enhanced Signs (List types)					
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) ☐ 3 Quad Resistance ☐ 4 Quad Median Gates		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 8			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2					
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 40 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2005 AADT 025600		8. Estimated Percent Trucks 06 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 09 / 2007	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction ☐ Change in Primary Operating RR	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HWY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP, CN		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *		14. Nearest RR Timetable Station * BARRINGTON	
15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE		17. Crossing Type ☒ Public ☐ Private	
18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over		20. Public Access (if Private Crossing) ☐ Yes ☒ No	
21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0		23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard	
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number		25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established			
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use *		31.C. State Use *			
31.D. State Use *		32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM			
32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM		33. Emergency Notification Telephone No. (posted) 630-262-2801			
34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110			

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/09/2007		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
2.L. LED Enhanced Signs (List types)					
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 4			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2					
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes 4 ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit 40 _____ MPH ☒ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2005 AADT 025600		8. Estimated Percent Trucks 06 _____ %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 03 / 2006	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP , CN ,		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/03/2006		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
				2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No	
				2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No	
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____	3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates	3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED		3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included	3.E. Total Count of Flashing Light Pairs 4
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	3.I. Bells (count) 2
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No	4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs	4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____	6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None	
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No	3. Does Track Run Down a Street? ☐ Yes ☒ No	4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No	
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☒ (02) Other Nat Hwy System (NHS) ☐ (03) Federal AID, Not NHS ☐ (08) Non-Federal Aid		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☒ (3) Other Principal Arterial ☐ (6) Minor Collector ☐ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	4. Highway Speed Limit 40 _____ MPH ☒ Posted ☐ Statutory
				5. Linear Referencing System (LRS Route ID) *	
				6. LRS Milepost *	
7. Annual Average Daily Traffic (AADT) Year 2005 AADT 025600		8. Estimated Percent Trucks 06 _____ %	9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____					
Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 04 / 05 / 2005	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR _____			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR _____ UP _____, CN _____		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number _____			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established _____		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 2	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 0	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week? _____
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 04/05/2005		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 4			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____		3.L. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____			
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
4.D. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None		4.E. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *		7. Annual Average Daily Traffic (AADT) Year 2003 AADT 025500			
8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____					
Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 01 / 2004	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use *		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use *			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/01/2004		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
2.L. LED Enhanced Signs (List types)					
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 4			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required			3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		
3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No			3.I. Bells (count) 2		
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *		7. Annual Average Daily Traffic (AADT) Year 2003 AADT 025500			
8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 07 / 23 / 2003	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction ☐ Change in Primary Operating RR	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *		14. Nearest RR Timetable Station * BARRINGTON	
15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE		17. Crossing Type ☒ Public ☐ Private	
18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over		20. Public Access (if Private Crossing) ☐ Yes ☒ No	
21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0		23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard	
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number		25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established			
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *		31.A. State Use *	
30.B. Railroad Use *		31.B. State Use *		30.C. Railroad Use *	
31.C. State Use *		30.D. Railroad Use *		31.D. State Use *	
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week? _____
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 07/23/2003		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 4			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 2		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2001 AADT 020400		8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 06 / 2003	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1616600		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1308300	
29. Lat/Long Source ☒ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *		31.A. State Use *			
30.C. Railroad Use *		31.B. State Use *			
30.D. Railroad Use *		31.C. State Use *			
30.E. Railroad Use *		31.D. State Use *			
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/06/2003		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 4			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 1		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2001 AADT 020400		8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 04 / 2003	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1614990		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309970	
29. Lat/Long Source ☐ Actual ☒ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) * REMOTE MONITORING SYSTEM			32.B. Narrative (State Use) * REMOTE MONITORING SYSTEM		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/04/2003		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 4			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 1		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2001 AADT 020400		8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 03 / 01 / 2003	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1614990		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309970	
29. Lat/Long Source ☐ Actual ☒ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *				31.A. State Use *	
30.C. Railroad Use *				31.B. State Use *	
30.D. Railroad Use *				31.C. State Use *	
30.E. Railroad Use *				31.D. State Use *	
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 03/01/2003		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
2.L. LED Enhanced Signs (List types)					
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 4			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 1					
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 2001 AADT 020400		8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 09 / 07 / 2002	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0050.10 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A EJE	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☒ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☒ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1614990		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309970	
29. Lat/Long Source ☐ Actual ☒ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *				31.A. State Use *	
30.C. Railroad Use *				31.B. State Use *	
30.D. Railroad Use *				31.C. State Use *	
30.E. Railroad Use *				31.D. State Use *	
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted) 630-262-2801		34. Railroad Contact (Telephone No.) 815-740-6742		35. State Contact (Telephone No.) 847-705-4110	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☒ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☐ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 09/07/2002		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 2		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☒ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☒ None	
				2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No	
				2.I. ENS Sign (I-13) Displayed ☒ Yes ☐ No	
2.J. Other MUTCD Signs Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____		2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)	
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 2 Pedestrian _____	3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates	3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED		3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included	3.E. Total Count of Flashing Light Pairs 4
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	3.I. Bells (count) 1
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☒ No	4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs	4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____	6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None	
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad Number of Lanes 4 ☐ One-way Traffic ☐ Two-way Traffic ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No	3. Does Track Run Down a Street? ☐ Yes ☒ No	4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☒ No	
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal Aid		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory
				5. Linear Referencing System (LRS Route ID) *	
				6. LRS Milepost *	
7. Annual Average Daily Traffic (AADT) Year 2002 AADT 020400		8. Estimated Percent Trucks 05 %	9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____					
Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 11 / 14 / 2001	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☒ Yes ☐ No If Yes, Specify RR UP		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0023.89 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1614990		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309970	
29. Lat/Long Source ☐ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *				31.A. State Use *	
30.C. Railroad Use *				31.B. State Use *	
30.D. Railroad Use *				31.C. State Use *	
30.E. Railroad Use *				31.D. State Use *	
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 11/14/2001		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No			
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 0			
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.I. Bells (count) 1		3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None			
3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____					
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *					
7. Annual Average Daily Traffic (AADT) Year 1988 AADT 016200		8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 01 / 10 / 1995	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0023.89 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1614990		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309970	
29. Lat/Long Source ☐ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *				31.A. State Use *	
30.C. Railroad Use *				31.B. State Use *	
30.D. Railroad Use *				31.C. State Use *	
30.E. Railroad Use *				31.D. State Use *	
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 01/10/1995		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No	2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None		2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____	3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) ☐ 3 Quad Resistance ☐ 4 Quad Median Gates	3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED		3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included	3.E. Total Count of Flashing Light Pairs 0
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No	4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs	4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☒ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
7. Annual Average Daily Traffic (AADT) Year 1988 AADT 016200		8. Estimated Percent Trucks 05 %		4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory	
				5. Linear Referencing System (LRS Route ID) *	
9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		6. LRS Milepost *		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 01 / 01 / 1988	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost 0023.89 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn) 42.1614990		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn) -88.1309970	
29. Lat/Long Source ☐ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *				31.A. State Use *	
30.C. Railroad Use *				31.B. State Use *	
30.D. Railroad Use *				31.C. State Use *	
30.E. Railroad Use *				31.D. State Use *	
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 1	1.B. Total Night Thru Trains (6 PM to 6 AM) 1	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 45 3.B. Typical Speed Range Over Crossing (mph) From 5 to 45		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 01/01/1988		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No		2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____	
2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)			
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 0 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 0		3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) ____/____/____ ☐ Not Required	
3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No		3.I. Bells (count) 1	
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No 5. Linear Referencing System (LRS Route ID) * 6. LRS Milepost *	
7. Annual Average Daily Traffic (AADT) Year 1988 AADT 016200		8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
10. Emergency Services Route ☐ Yes ☐ No					
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 07 / 02 / 1986	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost W 0 23.89 (prefix) (nnnn.nnn) (suffix)					
13. Line Segment *		14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A	
16. Crossing Owner (if applicable) ☐ N/A					
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn)		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn)	
29. Lat/Long Source ☐ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 0	1.B. Total Night Thru Trains (6 PM to 6 AM) 3	1.C. Total Switching Trains 3	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 20 3.B. Typical Speed Range Over Crossing (mph) From 5 to 20		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 07/02/1986		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No		2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____	
2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)			
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 2 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 0		3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required	
3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No		3.I. Bells (count) 1	
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *		7. Annual Average Daily Traffic (AADT) Year _____ AADT 016200			
8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____					
Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 06 / 30 / 1986	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost W 0 23.89 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station *		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A	
17. Crossing Type ☒ Public ☐ Private	18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.	19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	20. Public Access (if Private Crossing) ☐ Yes ☒ No	21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other	22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A	27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn)	28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn)	29. Lat/Long Source ☐ Actual ☐ Estimated		
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 0	1.B. Total Night Thru Trains (6 PM to 6 AM) 3	1.C. Total Switching Trains 3	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week? _____
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 20 3.B. Typical Speed Range Over Crossing (mph) From 5 to 20		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 06/30/1986		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
				2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No	
				2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No	
2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____			2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____	3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) ☐ 3 Quad Resistance ☐ 4 Quad Median Gates	3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 2 ☐ LED		3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included	3.E. Total Count of Flashing Light Pairs 0
3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) ____/____/____ ☐ Not Required		3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No	3.I. Bells (count) 1
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No	4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs	4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____	6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None	
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No					
5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____					
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75			7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
				4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory	
				5. Linear Referencing System (LRS Route ID) *	
				6. LRS Milepost *	
7. Annual Average Daily Traffic (AADT) Year _____ AADT 017900		8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0	
				10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____					
Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 12 / 31 / 1983	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost W 0 23.89 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn)		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn)	
29. Lat/Long Source ☐ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *				31.A. State Use *	
30.C. Railroad Use *				31.B. State Use *	
30.D. Railroad Use *				31.C. State Use *	
30.E. Railroad Use *				31.D. State Use *	
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 0	1.B. Total Night Thru Trains (6 PM to 6 AM) 3	1.C. Total Switching Trains 3	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 20 3.B. Typical Speed Range Over Crossing (mph) From 5 to 20		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 12/31/1983		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No		2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____	
2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)			
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 2 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 0		3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required	
3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No		3.I. Bells (count) 1	
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *		7. Annual Average Daily Traffic (AADT) Year _____ AADT 016000			
8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 08 / 26 / 1983	B. Reporting Agency ☒ Railroad ☐ Transit ☐ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost W 0 23.89 (prefix) (nnnn.nnn) (suffix)					
13. Line Segment *		14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A	
16. Crossing Owner (if applicable) ☐ N/A					
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn)		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn)	
29. Lat/Long Source ☐ Actual ☐ Estimated					
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 0	1.B. Total Night Thru Trains (6 PM to 6 AM) 3	1.C. Total Switching Trains 3	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 20 3.B. Typical Speed Range Over Crossing (mph) From 5 to 20		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 08/26/1983		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No		2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____	
2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)			
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 2 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 0		3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required	
3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No		3.I. Bells (count) 1	
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☐ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☒ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *		7. Annual Average Daily Traffic (AADT) Year _____ AADT 014800			
8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 12 / 31 / 1981	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost W 0 23.89 (prefix) (nnnn.nnn) (suffix)					
13. Line Segment *		14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A	
16. Crossing Owner (if applicable) ☐ N/A					
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn)		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn)	
				29. Lat/Long Source ☐ Actual ☐ Estimated	
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 0	1.B. Total Night Thru Trains (6 PM to 6 AM) 3	1.C. Total Switching Trains 3	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 20 3.B. Typical Speed Range Over Crossing (mph) From 5 to 20		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 12/31/1981		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No		2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____	
2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)			
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 2 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 0		3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required	
3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No		3.I. Bells (count) 1	
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☒ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *		7. Annual Average Daily Traffic (AADT) Year _____ AADT 014800			
8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 09 / 30 / 1981	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost W 0 23.89 (prefix) (nnnn.nnn) (suffix)					
13. Line Segment *		14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A	
16. Crossing Owner (if applicable) ☐ N/A					
17. Crossing Type ☒ Public ☐ Private	18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.	19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	20. Public Access (if Private Crossing) ☐ Yes ☒ No	21. Type of Train ☐ Freight ☐ Transit ☐ Intercity Passenger ☐ Shared Use Transit ☐ Commuter ☐ Tourist/Other	22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A	27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn)		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn)		29. Lat/Long Source ☐ Actual ☐ Estimated
30.A. Railroad Use *			31.A. State Use *		
30.B. Railroad Use *			31.B. State Use *		
30.C. Railroad Use *			31.C. State Use *		
30.D. Railroad Use *			31.D. State Use *		
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 3	1.B. Total Night Thru Trains (6 PM to 6 AM) 3	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 20 3.B. Typical Speed Range Over Crossing (mph) From 1 to 20		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 09/30/1981		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No		2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____	
2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)			
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 2 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 0		3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/____/____ ☐ Not Required	
3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No		3.I. Bells (count) 1	
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/____ Width * _____ Length * _____ ☒ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *		7. Annual Average Daily Traffic (AADT) Year _____ AADT 014800			
8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					

U. S. DOT CROSSING INVENTORY FORM

DEPARTMENT OF TRANSPORTATION

FEDERAL RAILROAD ADMINISTRATION

OMB No. 2130-0017

Instructions for the initial reporting of the following types of new or previously unreported crossings: For public highway-rail grade crossings, complete the entire inventory Form. For private highway-rail grade crossings, complete the Header, Parts I and II, and the Submission Information section. For public pathway grade crossings (including pedestrian station grade crossings), complete the Header, Parts I and II, and the Submission Information section. For Private pathway grade crossings, complete the Header, Parts I and II, and the Submission Information section. For grade-separated highway-rail or pathway crossings (including pedestrian station crossings), complete the Header, Part I, and the Submission Information section. For changes to existing data, complete the Header, Part I Items 1-3, and the Submission Information section, in addition to the updated data fields. Note: For private crossings only, Part I Item 20 and Part III Item 2.K. are required unless otherwise noted. An asterisk * denotes an optional field.

A. Revision Date (MM/DD/YYYY) 04 / 24 / 1979	B. Reporting Agency ☐ Railroad ☐ Transit ☒ State ☐ Other	C. Reason for Update (Select only one) ☒ Change in Data ☐ New Crossing ☐ Closed ☐ Re-Open ☐ Date Change Only ☐ Change in Primary Operating RR ☐ No Train Traffic ☐ Quiet Zone Update ☐ Admin. Correction	D. DOT Crossing Inventory Number 260514W
---	--	--	--

Part I: Location and Classification Information

1. Primary Operating Railroad Elgin, Joliet & Eastern Railway Company [EJE]		2. State ILLINOIS		3. County LAKE	
4. City / Municipality ☒ In ☐ Near BARRINGTON		5. Street/Road Name & Block Number NORTHWEST HIGHWAY (Street/Road Name) * (Block Number)		6. Highway Type & No. FAU3508	
7. Do Other Railroads Operate a Separate Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR			8. Do Other Railroads Operate Over Your Track at Crossing? ☐ Yes ☒ No If Yes, Specify RR		
9. Railroad Division or Region ☐ None JOLIET		10. Railroad Subdivision or District ☐ None WESTERN SUB		11. Branch or Line Name ☐ None MAINLINE	
12. RR Milepost W 0 23.89 (prefix) (nnnn.nnn) (suffix)		13. Line Segment *			
14. Nearest RR Timetable Station * BARRINGTON		15. Parent RR (if applicable) ☐ N/A		16. Crossing Owner (if applicable) ☐ N/A	
17. Crossing Type ☒ Public ☐ Private		18. Crossing Purpose ☒ Highway ☐ Pathway, Ped. ☐ Station, Ped.		19. Crossing Position ☒ At Grade ☐ RR Under ☐ RR Over	
20. Public Access (if Private Crossing) ☐ Yes ☒ No		21. Type of Train ☐ Freight ☐ Intercity Passenger ☐ Commuter ☐ Transit ☐ Shared Use Transit ☐ Tourist/Other		22. Average Passenger Train Count Per Day ☐ Less Than One Per Day ☐ Number Per Day 0	
23. Type of Land Use ☐ Open Space ☐ Farm ☒ Residential ☐ Commercial ☐ Industrial ☐ Institutional ☐ Recreational ☐ RR Yard					
24. Is there an Adjacent Crossing with a Separate Number? ☐ Yes ☐ No If Yes, Provide Crossing Number			25. Quiet Zone (FRA provided) ☐ No ☐ 24 Hr ☐ Partial ☐ Chicago Excused Date Established		
26. HSR Corridor ID ☐ N/A		27. Latitude in decimal degrees (WGS84 std: nn.nnnnnnn)		28. Longitude in decimal degrees (WGS84 std: -nnn.nnnnnnn)	
29. Lat/Long Source ☐ Actual ☐ Estimated		30.A. Railroad Use *			
30.B. Railroad Use *				31.A. State Use *	
30.C. Railroad Use *				31.B. State Use *	
30.D. Railroad Use *				31.C. State Use *	
30.E. Railroad Use *				31.D. State Use *	
32.A. Narrative (Railroad Use) *			32.B. Narrative (State Use) *		
33. Emergency Notification Telephone No. (posted)		34. Railroad Contact (Telephone No.)		35. State Contact (Telephone No.)	

Part II: Railroad Information

1. Estimated Number of Daily Train Movements				
1.A. Total Day Thru Trains (6 AM to 6 PM) 3	1.B. Total Night Thru Trains (6 PM to 6 AM) 3	1.C. Total Switching Trains 2	1.D. Total Transit Trains	1.E. Check if Less Than One Movement Per Day ☐ How many trains per week?
2. Year of Train Count Data (YYYY)		3. Speed of Train at Crossing 3.A. Maximum Timetable Speed (mph) 20 3.B. Typical Speed Range Over Crossing (mph) From 1 to 20		
4. Type and Count of Tracks Main 1 Siding Yard Transit Industry				
5. Train Detection (Main Track only) ☐ Constant Warning Time ☐ Motion Detection ☐ AFO ☐ PTC ☒ DC ☐ Other ☐ None				
6. Is Track Signaled? ☐ Yes ☒ No		7.A. Event Recorder ☐ Yes ☐ No		7.B. Remote Health Monitoring ☐ Yes ☐ No

U. S. DOT CROSSING INVENTORY FORM

A. Revision Date (MM/DD/YYYY) 04/24/1979		PAGE 2		D. Crossing Inventory Number (7 char.) 260514W	
Part III: Highway or Pathway Traffic Control Device Information					
1. Are there Signs or Signals? ☒ Yes ☐ No		2. Types of Passive Traffic Control Devices associated with the Crossing			
2.A. Crossbuck Assemblies (count) 0		2.B. STOP Signs (R1-1) (count) 0	2.C. YIELD Signs (R1-2) (count)	2.D. Advance Warning Signs (Check all that apply; include count) ☐ None ☒ W10-1 ☐ W10-3 ☐ W10-11 ☐ W10-2 ☐ W10-4 ☐ W10-12	
2.E. Low Ground Clearance Sign (W10-5) ☐ Yes (count _____) ☐ No		2.F. Pavement Markings ☒ Stop Lines ☐ Dynamic Envelope ☒ RR Xing Symbols ☐ None		2.G. Channelization Devices/Medians ☐ All Approaches ☐ Median ☐ One Approach ☐ None	
2.H. EXEMPT Sign (R15-3) ☐ Yes ☐ No		2.I. ENS Sign (I-13) Displayed ☐ Yes ☐ No		2.J. Other MUTCD Signs ☐ Yes ☒ No Specify Type _____ Count _____ Specify Type _____ Count _____ Specify Type _____ Count _____	
2.K. Private Crossing Signs (if private) ☐ Yes ☐ No		2.L. LED Enhanced Signs (List types)			
3. Types of Train Activated Warning Devices at the Grade Crossing (specify count of each device for all that apply)					
3.A. Gate Arms (count) Roadway 0 Pedestrian _____		3.B. Gate Configuration ☐ 2 Quad ☐ Full (Barrier) Resistance ☐ 3 Quad ☐ Median Gates ☐ 4 Quad		3.C. Cantilevered (or Bridged) Flashing Light Structures (count) Over Traffic Lane 2 ☐ Incandescent Not Over Traffic Lane 2 ☐ LED	
3.D. Mast Mounted Flashing Lights (count of masts) 2 ☐ Incandescent ☐ LED ☐ Back Lights Included ☐ Side Lights Included		3.E. Total Count of Flashing Light Pairs 0		3.F. Installation Date of Current Active Warning Devices: (MM/YYYY) _____/_____/_____ ☐ Not Required	
3.G. Wayside Horn ☐ Yes Installed on (MM/YYYY) ____/____/_____ ☐ No		3.H. Highway Traffic Signals Controlling Crossing ☐ Yes ☒ No		3.I. Bells (count) 1	
3.J. Non-Train Active Warning ☐ Flagging/Flagman ☐ Manually Operated Signals ☐ Watchman ☐ Floodlighting ☐ None				3.K. Other Flashing Lights or Warning Devices Count 0 Specify type _____	
4.A. Does nearby Hwy Intersection have Traffic Signals? ☐ Yes ☐ No		4.B. Hwy Traffic Signal Interconnection ☐ Not Interconnected ☐ For Traffic Signals ☐ For Warning Signs		4.C. Hwy Traffic Signal Preemption ☐ Simultaneous ☐ Advance	
5. Highway Traffic Pre-Signals ☐ Yes ☐ No Storage Distance * _____ Stop Line Distance * _____		6. Highway Monitoring Devices (Check all that apply) ☐ Yes - Photo/Video Recording ☐ Yes - Vehicle Presence Detection ☐ None			
Part IV: Physical Characteristics					
1. Traffic Lanes Crossing Railroad ☐ One-way Traffic ☐ Two-way Traffic Number of Lanes 4 ☐ Divided Traffic		2. Is Roadway/Pathway Paved? ☒ Yes ☐ No		3. Does Track Run Down a Street? ☐ Yes ☒ No	
4. Is Crossing Illuminated? (Street lights within approx. 50 feet from nearest rail) ☐ Yes ☐ No		5. Crossing Surface (on Main Track, multiple types allowed) Installation Date * (MM/YYYY) ____/____/_____ ☒ 1 Timber ☐ 2 Asphalt ☐ 3 Asphalt and Timber ☐ 4 Concrete ☐ 5 Concrete and Rubber ☐ 6 Rubber ☐ 7 Metal ☐ 8 Unconsolidated ☐ 9 Composite ☐ 10 Other (specify) _____			
6. Intersecting Roadway within 500 feet? ☒ Yes ☐ No If Yes, Approximate Distance (feet) 75		7. Smallest Crossing Angle ☐ 0° - 29° ☒ 30° - 59° ☐ 60° - 90°		8. Is Commercial Power Available? * ☒ Yes ☐ No	
Part V: Public Highway Information					
1. Highway System ☐ (01) Interstate Highway System ☐ (02) Other Nat Hwy System (NHS) ☒ (03) Federal AID, Not NHS ☐ (08) Non-Federal AID		2. Functional Classification of Road at Crossing ☐ (0) Rural ☒ (1) Urban ☐ (1) Interstate ☐ (5) Major Collector ☐ (2) Other Freeways and Expressways ☐ (3) Other Principal Arterial ☐ (6) Minor Collector ☒ (4) Minor Arterial ☐ (7) Local		3. Is Crossing on State Highway System? ☒ Yes ☐ No	
4. Highway Speed Limit _____ MPH ☐ Posted ☐ Statutory		5. Linear Referencing System (LRS Route ID) *			
6. LRS Milepost *		7. Annual Average Daily Traffic (AADT) Year _____ AADT 009700			
8. Estimated Percent Trucks 05 %		9. Regularly Used by School Buses? ☐ Yes ☒ No Average Number per Day 0		10. Emergency Services Route ☐ Yes ☐ No	
Submission Information - This information is used for administrative purposes and is not available on the public website.					
Submitted by _____ Organization _____ Phone _____ Date _____ Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for information collection is 2130-0017. Send comments regarding this burden estimate or any other aspect of this collection, including for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25 Washington, DC 20590.					



VILLAGE OF

a great place to live, work, and play

BARRINGTON

August 16, 2017

Mr. Robert C. Lauby, P.E.

Associate Administrator for Railroad Safety & Chief Safety Officer

Federal Railroad Administration

1200 New Jersey Avenue, SE

Washington, DC 20590

RE: CN and National Grade Crossing Inventory Reporting Inaccuracies

Dear Mr. Lauby:

I serve as the Mayor of Barrington, Illinois, and I am writing to ask that you review the failure by Canadian National Railway to update its Grade Crossing Inventory records to reflect accurately its post-2009 operations on the CN rail line running through my town and the potential adverse impact that failure has had.

While we know that the FRA uses this data to improve grade crossing safety across the United States, it is also used by transportation planners in Illinois and at the USDOT to assess applications for infrastructure grants meant to improve traffic flow through impacted regions. CN's failure to provide updated operational data not only diminishes its usefulness for FRA purposes, but may also have disadvantaged Barrington through the years as we sought to secure discretionary transportation funding for a grade separation project on U.S. Highway 14 (with an ADT of 30,000 vehicles) necessitated by CN's operation of approximately twenty 7,700-foot freight trains operating daily at an average speed of 28 mph.

By way of background, this issue initially came to my attention in February 2015, when the Chicago Metropolitan Agency for Planning (CMAP) announced its new interactive database of grade crossing delays. That database failed to accurately depict the actual operations of CN trains that travel across four Village grade crossings within a span of 5,918 feet in downtown Barrington. The database can be found here: <http://www.cmap.illinois.gov/mobility/explore#/topic/freight/crossing-delay>.

VILLAGE HALL
200 S. HOUGH ST.
BARRINGTON, IL 60010
(847) 304-3400

PRESIDENT & BOARD
MANAGER'S OFFICE
TEL (847) 304-3444
FAX (847) 304-3490

COMMUNITY AND
FINANCIAL SERVICES
TEL (847) 304-3400
FAX (847) 381-7506

DEVELOPMENT SERVICES
TEL (847) 304-3460
FAX (847) 381-1056

PUBLIC WORKS
300 N. RAYMOND AVE.
BARRINGTON, IL 60010
TEL (847) 381-7903
FAX (847) 382-3030

PUBLIC SAFETY
400 N. NORTHWEST HWY.
BARRINGTON, IL 60010

POLICE
TEL (847) 304-3300
FAX (847) 381-2165

FIRE
TEL (847) 304-3600
FAX (847) 381-1889

As you will note in a cursory review of that database link, CMAP uses the data it receives from the Illinois Commerce Commission that is collected via the FRA Inventory to calculate crossing delays based on the number and speed of trains operating in its planning region. CMAP then ranks the crossings in a "Top 10" delays list. Despite the reality that the delays at the U.S. Highway 14 crossing in Barrington should have it included on that "Top Ten" list with delays of 116 to 122 hours daily -- it is not¹. In fact, that particular crossing should rank at 5th or 6th on the "Top Ten" list in the greater Chicagoland area, but is not included because CN did not provide to the FRA until January 13 of this year the partially accurate data as required by federal law since October 16, 2010 (detailed in USC Title 49, Subchapters 234.401 through 234.415.²)

Because CN had failed to provide accurate information about train volumes and speeds to the National Grade Crossing Inventory Reporting Program prior to January 2017, Barrington has likely suffered negative consequences. As mentioned previously, that data constitutes the basis for the CMAP inventory and subsequent delay calculations that drive regional planning decisions. Additionally, USDOT personnel have indicated to my staff recently that their personnel reviewing TIGER and FASTLANE grant applications use it to vet the accuracy of information provided by grant applicants. One must assume that Barrington's veracity has been judged questionable as agency grant reviewers use the erroneous Inventory data in assessing Barrington's repeated grade separation funding requests.

While CN is now reporting that it operates 17 trains through Barrington each day (a slight undercount), CN has failed to report that its trains are moving at speeds far slower than the stated 45 mph timetable speed. In a January 30, 2017 filing before the Surface Transportation Board, CN stated that it reduced allowable speeds to 30 mph at the Barrington Interlocking at some point prior to October 2015.

For a more accurate representation of CN operations on its rail line running through the four Barrington crossings, please see the chart below indicating train counts, train lengths, and train speeds compiled by Barrington in seeking CN-financed grade separation mitigation from the Surface Transportation Board during the oversight period following CN's acquisition of the rail line that circles Chicago.

¹ In 2015, Barrington requested that CMAP delete all four CN crossings from its interactive database until the records were correctly updated. See attached communications.

² History of Inventory data was based on a history search for crossing 260514W at <http://safetydata.fra.dot.gov/OfficeofSafety/PublicSite/Crossing/Crossing.aspx>

This data cannot be reconciled with the Inventory reporting data your agency received for the years between 2009 and 2016 from CN.

YEAR	AVERAGE NUMBER OF DAILY TRAINS	AVERAGE SPEED
2009	6.4 trains daily	Unknown
2010	8.5 trains daily	Unknown
2011	7.9 trains daily averaging 5,800 feet in length	32 mph in May 2011
2012	13.9 trains daily	Unknown
2013	16.5 trains daily	Unknown
2014	17.6 trains daily	Unknown
2015	19.6 trains daily averaging 7,700 feet in length	28 mph in October 2015
2016	18.1 trains daily averaging 7,800 feet in length	28 mph in March, April, May 2016

In 2010, Barrington was awarded a \$3.2 million TIGER planning grant to undertake the environmental review for a grade separation at U.S. Highway 14. Since that time, Barrington has filed another six TIGER grant applications and two FASTLANE applications in an effort to secure construction funding to leverage that initial 2010 investment in federal taxpayer dollars. We have not been successful in securing additional funds during the time period between October 16, 2010 and this year – coincidentally, the very time frame in which the railroad should have been reporting accurate data to the FRA and was not. We fear that our applications were prejudiced because the Inventory had been showing that only three daily freight trains traveled on CN's rail line.

Given the long-term and ongoing inaccuracies in the crossing data CN has provided to the National Grade Crossing Inventory Program when it comes to Barrington's crossings (in defiance of its statutory obligations) as well as the strong possibility that CN's reporting inaccuracies have caused actual harm to Barrington by undermining the Village's federal, state, and regional grade separation grant applications, I respectfully suggest that the FRA use whatever means at its disposal to rectify this situation and insure that CN fully live up to all its legal Inventory reporting requirements.

Barrington suspects that this lengthy period of inaccurate reporting constituted a willful failure on the part of CN, as the railroad did not begin to report accurate


August 16, 2017

Page 4

data until the same month that the STB's oversight for this transaction was ending. Barrington has repeatedly petitioned the STB since 2009 to grant grade separation relief at U.S. 14 largely paid for by CN. We would hate to think that CN may have attempted to downplay the necessity for such relief at USDOT by purposefully failing to update its operational data at the Barrington crossings. The FRA should consider emphasizing to CN that its reporting requirements cannot be ignored without consequences.

Thank you for your consideration of my request. Please do not hesitate to contact me if I can provide any further information, or assist you in evaluating Barrington's request for a review of and a complete response to this issue.

Sincerely,


Karen Darch

cc: Sen. Dick Durbin
Sen. Tammy Duckworth
Rep. Peter Roskam
Ronald L. Batory, Administrator nominee, FRA
Heath Hall, Acting Administrator, FRA
Ann Begeman, Acting Chairman, STB
Joe Szabo, CMAP



VILLAGE OF

a great place to live, work, and play

BARRINGTON

February 3, 2015

Ms. Jill Leary
Acting Director
Chicago Metropolitan Agency for Planning (CMAP)
233 South Wacker Drive, Suite 800
Chicago, Illinois 60606

Via Email

Dear Ms. Leary;

I wanted to bring to your attention a serious flaw with data detailed in the "Mobility" portal that CMAP launched on its website last week. I bring this to your attention for correction because I'd hate to see CMAP's vital regional planning efforts undermined by using flawed third-party data — over which you have no control — to support future transportation planning proposals.

As you can imagine, when I saw the Chicago Tribune article about this portal I was particularly interested in reviewing the grade crossing delay figures for the four EJ&E crossings in Barrington because we have been seeking redress for traffic gridlock created in the Village as a result of CN's purchase of the rail line in 2009. In fact, we currently have a mitigation petition pending before the Surface Transportation Board seeking that it order CN to pay the remaining \$50 million needed to build a roadway underpass at U.S. Highway 14 where it meets with the EJ&E rail line.

On October 15, 2010, the USDOT awarded Barrington a \$2.8 million TIGER II grant for the Phase I engineering/environmental review for a grade separation at the crossing and CMAP supported our request in the grant proposal package. That grant confirmed that U.S. Highway 14 has a significant regional impact. In addition to the \$2.8 million TIGER II planning grant for Phase I (the largest of the TIGER II planning grants awarded in that round), IDOT provided the local match of \$700,000. PHASE I was completed and IDOT approved the project design in September, 2014, so we are ready to move forward as soon as the additional funding is secured.

VILLAGE HALL
200 S. HOUGH ST.
BARRINGTON, IL 60010
(847) 304-3400

PRESIDENT & BOARD
MANAGER'S OFFICE
TEL (847) 304-3444
FAX (847) 304-3490

COMMUNITY AND
FINANCIAL SERVICES
TEL (847) 304-3400
FAX (847) 381-7506

DEVELOPMENT SERVICES
TEL (847) 304-3460
FAX (847) 381-1056

PUBLIC WORKS
300 N. RAYMOND AVE.
BARRINGTON, IL 60010
TEL (847) 381-7903
FAX (847) 382-3030

PUBLIC SAFETY
400 N. NORTHWEST HWY.
BARRINGTON, IL 60010

POLICE
TEL (847) 304-3300
FAX (847) 381-2165

FIRE
TEL (847) 304-3600
FAX (847) 381-1289

February 3, 2015

Page 2

The Mobility data we reviewed was for the four crossings at Lake Zurich Road, Northwest Highway (US 14), Hough Street (IL 59) in Lake County and Main Street (Lake Cook Rd) in Cook County. Unfortunately, the crossing delay figures for those four Barrington crossings are not even remotely in line with reality.

As a case in point, for U.S. Highway 14, the CMAP data notes that 132 vehicles were delayed at that crossing for an average of 1.77 minutes amounting to 2.14 total hours of daily aggregate delay. Those figures cannot be reconciled with IDOT's figure of a 29,000 ADT at that crossing and the substantial queuing on Northwest Highway that results from blockages caused by the 18 to 19 daily freight trains currently running on the EJ&E. In 2011, Barrington commissioned a VISSIM traffic analysis by Civiltech and the delay figures for that crossing showed that we will be experiencing 98 total hours of daily delay there by the end of this year. As you can see, this is not a minor rounding discrepancy!

As a result of this, we followed up with Tom Garritano on your CMAP staff and he was good enough to refer us to the ICC where the data originated. Just yesterday morning, we received an email response from Steve Laffey at the ICC that clarifies where this data is derived from:

"The source of the data used in the analysis is primarily FRA's grade crossing inventory system with certain items, such as railroad line segment name and segment type, provided by the ICC. The grade crossing inventory system is a voluntary system where state DOTs and railroads provide information to the FRA (and for Illinois crossings, concurrently to the ICC). The railroad is responsible for some items (train counts and speeds) and the state DOT others (AADT); ICC does not collect train count or AADT data."

Mr. Laffey provided us with the data sheets used for the calculations and we have seen that even the most recent data from March 31, 2013 does NOT include CN's operations on the EJ&E. That data sheet just shows three trains running on our segment of the rail line, rather than the average 2014 daily train volumes of 17.7 trains per day (that CN shared with Barrington and the STB as recently as January 26, 2015.) In fact, CN has now admitted that as many as 25 trains a day have already passed through Barrington on multiple occasions. In addition to the number of trains, the speed of the trains in the ICC data set is inaccurate. The ICC uses the "maximum time table speed" for the basis of its calculations -- or 45 mph at that particular crossing. However, Civiltech actually measured train speeds at the U.S. 14 crossing in 2011, and CN's freight trains were averaging only 32 mph. The bottom line is that it's clear that

February 3, 2015

Page 3


CN has not provided any updates on its EJ&E operations to the FRA or ICC, so we have a case of 'junk in, junk out' data analysis that begins and ends with CN.

As a first course of action, it is imperative that the Mobility data for the whole of the EJ&E be removed from CMAP's website as soon as possible because it's clear that the basis for that particular data is flawed. However, my concerns go far beyond just the EJ&E because the traffic that was running on CN's core lines through Chicago prior to the railroad's acquisition of the EJ&E is likely still counted into the data for those lines and thus impacting the accuracy of the crossing delays for the entire Chicago rail network. To the extent that CMAP can vet the accuracy of the data for other crossings in the region with local municipal leaders, or ask the FRA or ICC to conduct a spot audit, that would seem advisable.

After these initial adjustments are made on the Mobility portal, I would like to work with CMAP to discuss the issue with IDOT and the FRA (and perhaps our congressional delegation) to see what can be done to secure accurate data from the railroads moving forward. While it is now a voluntary effort on the part of the railroads, perhaps supplying this data needs to be made mandatory with an accompanying auditing process instituted. Because greater Chicagoland is the nation's largest freight hub, it is vital that the railroads be held accountable for the operational data they supply to Illinois and our regional planning organizations.

I look forward to working with you on this issue to insure that the region's long-range transportation planning efforts are accurately data-driven.


Sincerely,



Karen Y. Darch
President, Village Board

cc:

Gerald Bennett, Chairman, CMAP
Joseph Szabo, Senior Fellow, CMAP
Tom Weisner, Mayor, Aurora & TRAC Co-Chair



Chicago Metropolitan Agency for Planning

233 South Wacker Drive
Suite 800
Chicago, IL 60606
312-454-0400
www.cmap.illinois.gov

February 11, 2015

Via e-mail:
kdarch@barrington-il.gov
and First Class U.S. Mail

The Honorable Karen Darch, Village President
Village of Barrington
200 South Hough Street
Barrington, Illinois 60010

Dear President Darch:

Regarding your recent letter about data related to crossing delays, I certainly understand your concerns about EJ&E impacts and federal reporting requirements for railroads. Your letter highlights the importance of making data public, because doing so sheds light on processes that can be improved at all levels of government. So thank you for taking the time to comment.

We have investigated further, as described below. First, I will describe the federal process for compiling the national rail inventory. And second, I will address your concerns about our website's use of the federal data for Lake Zurich Road, Northwest Highway (US 14), Hough Street (IL 59) in Lake County, and Main Street (Lake Cook Road) in Cook County.

National Highway-Rail Crossing Inventory

Described at

<http://safetydata.fra.dot.gov/OfficeofSafety/publicsite/GcisNewRequirement.aspx>, a new federal rule will take effect on March 7, 2015, requiring the railroads to update their entries in the National Highway-Rail Crossing Inventory no less than every three years. Previously, they have been required to update their records in the inventory maintained by the Federal Rail Administration (FRA) only when the physical characteristics of a crossing have changed and not, for example, when the number of trains at a crossing has increased.

The 2013 national inventory data for the four crossings does not differ substantially from the 2011 data. However, recent filings to the Surface Transportation Board (STB) by the Canadian National Railway (CN) do demonstrate that the federal inventory is not current for these four crossings. The new federal rule means that CN will have until March 7, 2016, to make all their FRA inventory entries current, and then the three-year update cycle will begin.

Board Members
Gerald Bennett, Chair
Rita Athas
Frank Beal
Elliott Hartstein
Al Larson
Lisa Laws
Andrew Madigan
John Noak
Raul Raymundo
Rick Reinbold
William Rodeghier
Carolyn Schofield
Peter Silvestri
Rae Rupp Srch
Thomas Weisner

Non-voting Members
Bola Delano
Leanne Redden

Interim Executive Director
Jill Leary

February 11, 2015

Page 2

CMAP website

Staff at the Illinois Commerce Commission (ICC) are confident in their calculations of crossing delays, which are based on the best available federal inventory. While that federal process should be improved -- and, we believe, will be improved when the new reporting rule takes effect -- at present that national inventory is the one resource for observing our regional freight system historically for comparison of trends. The GO TO 2040 plan and its recent update rely on this important indicator.


Of course we believe the federal inventory should be improved, and we will incorporate those improvements in our own planning processes and materials. While we understand your concerns, CMAP cannot remove the entire map from our website. But we will remove the four crossings from the map and add the following text on our Sources page (<http://www.cmap.illinois.gov/mobility/explore/sources/>):

"Please note that this map omits data on crossing delays at four crossings that have been affected significantly since the Canadian National Railway (CN) acquisition of the Elgin, Joliet, and Eastern Railway (EJ&E). Because the National Highway-Rail Crossing Inventory entries for those crossings may not reflect current conditions, CMAP has elected to omit the following: Lake Zurich Road, Northwest Highway (US 14), Hough Street (IL 59) in Lake County, and Main Street (Lake Cook Road) in Cook County."

We will work with ICC staff to update the map from 2011 to 2013 data, but as mentioned above, that update will not result in significant differences for the four crossings due to the federal inventory process. Our hope is that the new federal reporting requirements will in 2016 result in an improved inventory for the U.S., our state, and our region.

Again, thank you for carefully articulating your concerns and CMAP will continue to work with you in addressing the impacts of increased freight traffic in Barrington. Please let me know if you have additional questions.

Sincerely,



Jill Leary
Interim Executive Director

TG:JL/stk

cc: Gerald R. Bennett-CMAP Board Chair, Mayor City of Palos Hills
Tom Weisner-CMAP Board, Mayor City of Aurora
Carrie Ann Ergo, City of Aurora
Sue Gaffino, City of Aurora

HARKINS CUNNINGHAM LLP

Attorneys at Law

Paul A. Cunningham
202.973.7601
pac@harkinscunningham.com

October 21, 2008

BY E-MAIL AND 1ST CLASS MAIL

Ms. Victoria J. Rutson, Chief
Section of Environmental Analysis
Surface Transportation Board
395 E Street, S.W.
Washington, D.C. 20423-0001

**Re: Canadian National Railway Company and Grand Trunk Corporation –
Control – EJ&E West Company (STB Finance Docket No. 35087)**

Dear Ms. Rutson:

I am writing, on behalf of Applicants Canadian National Railway Company and Grand Trunk Corporation (together, “Applicants”; together with their rail carrier subsidiaries, “CN”), to provide you and HDR Engineering, Inc. (“HDR”), in response to the inquiry you made in your letter of September 30, 2008, to Normand Pellerin of CN, regarding “possible freight traffic from the future expansion (phase 2) of the Prince Rupert Container Terminal.”

As you are probably aware, CN provided information responsive to that inquiry on pages 36 through 40 of its Comments on the Draft Environmental Impact Statement, which were submitted to your office on September 30, 2008. For your convenience and that of SEA’s third-party consultants, the relevant language from CN’s Comments is set forth below:

A.3 The rail traffic volumes reported in CN’s Operating Plan are a reasonable basis for SEA’s analysis of the environmental impacts of the Transaction.

Some commenters, however, have argued that the traffic accounted for in the Operating Plan is too low to serve as a basis for SEA’s environmental review because it fails to include traffic moving through the Port of Prince Rupert after completion of the proposed Phase 2 of the Port’s Fairview Container Terminal. If that expansion were completed, it is argued, then the capacity of the Port would rise from 500,000 [twenty-foot]-equivalent units (“TEUs”) to 2 million TEUs, causing a proportionate increase in Prince Rupert intermodal traffic on CN lines through Chicago, and the environmental analysis of the Transaction should therefore extend to impacts of this additional traffic.

HARKINS CUNNINGHAM LLP

Attorneys at Law

Ms. Victoria J. Rutson, Chief

October 21, 2008

Page 2

But construction of Phase 2 is not reasonably foreseeable at present, and SEA was right to exclude it from its examination of impacts [of] the proposed Transaction.

Phase 1 of the Fairview Terminal began operations in October 2007. It currently handles 300,000 TEUs per year, which require five weekly trains in each direction. If the Terminal were to operate at the full capacity of Phase 1 (500,000 TEUs), it would require 10 trains a week (one train a day in each direction). CN assumed that Phase 1 would in fact eventually operate at capacity, and it factored the potentially resulting train traffic into its Operating Plan, which SEA relied on as the basis for its analysis of the impacts of the Transaction.

Although the Prince Rupert Port Authority has discussed expanding the Terminal beyond Phase 1, no decision to undertake that expansion has been made. The Port Authority does not have the funds necessary for the proposed expansion, and neither the federal nor provincial government [have] indicated that it would provide them. Thus, if the Terminal is to be expanded into Phase 2, that decision must be made by RREEF Infrastructure, the new owner of Maher Terminals, which operates the Terminal.²⁹ RREEF is facing substantial uncertainty – even apart from the current financial uncertainties in the U.S. and elsewhere – as to whether to invest in the expansion for several reasons, including the following:

1. Demand for trans-Pacific intermodal traffic is lower than previously expected. Growth in that traffic is now projected to grow at levels of 5 to 7% between 2010 and 2020, rather than between 10 and 20% as previously forecast.
2. West Coast ports at Vancouver, Tacoma, and Los Angeles, which compete with Prince Rupert, are expected to expand their capacity by up to 5.4 million TEUs between now and 2020, making demand for transportation through Prince Rupert even weaker. In addition, a new container facility has been proposed for construction in Mexico at Punta Colonet, with a capacity of 2 million TEUs per year. As these projects are completed, the demand for expansion at Prince Rupert could readily change.
3. Expansion beyond Phase I would require negotiations with the Canadian Department of Oceans and Fisheries for environmental permitting, because of possible negative impacts on fish and wildlife habitat. A satisfactory outcome of those negotiations is by no means assured.

²⁹ See *RREEF Infrastructure Completes Maher Terminals Acquisition*, Bus. Wire, July 5, 2007; RREEF, Infrastructure, Business Overview, https://www.rreef.com/cps/rde/xchg/infr_en/hs.xsl/692.html.

HARKINS CUNNINGHAM LLP

Attorneys at Law

Ms. Victoria J. Rutson, Chief

October 21, 2008

Page 3

1700 K Street, N.W.

Suite 400

Washington, D.C. 20006-3804

Telephone 202.973.7600


Facsimile 202.973.7610

4. The expansion would require deposit of fill on land and water to which First Nations (Canadian Native Americans) have asserted claims. Before construction could begin, those claims would need to be resolved, through a process of negotiating with five First Nations bands that have inconsistent positions regarding appropriate compensation. These negotiations are likely to be more complex than comparable negotiations with First Nations in connection with Phase 1 of the Terminal, which, unlike Phase 2, involved construction on the site of an existing terminal rather than . . . on undeveloped property.

For these reasons, CN believes that any statements by the Prince Rupert Port Authority regarding early commencement and completion of Phase 2, however optimistic, offer little basis for anyone to conclude that Phase 2 is reasonably foreseeable. In the end, it is not the Authority that will determine to spend the money needed for the expansion. RREEF, which would be making the investment, has not yet determined to do so.

If you have any further questions regarding traffic that CN expects to transport from Prince Rupert, please let me know, and I will provide you with whatever information I can.

Very truly yours,



Paul A. Cunningham

cc: Phillis Johnson-Ball
John H. Morton
Normand Pellerin