

Report Review & Comment Form

Powder River Basin Expansion Project

Report Information

Report Title:	<i>Phase I and II Archaeological Investigations of the Minnesota Rehabilitation Segment of the Powder River Basin Expansion Project (MN2)</i>
Author(s):	Two Pines Resource Group/Summit Envirosolutions
Project Segment:	Minnesota Rehabilitation Segment
Date Submitted for Review:	April 7, 2009
Please Return By:	May 10, 2009

List of Identified Resources within APE

Sites		STB Recommends		Tribe Recommends (please check one)		
Site #	Site Type	Eligibility	Project Effect/APE Location	Eligible	Not Eligible	Needs Further Tribal Input
21BE0036	Precontact (Woodland-Cambria Phase) Artifact Scatter & Earthwork/Mound Group	Eligible (D)	Adverse Effect/ Inside APE			X
21BE0066	Precontact Lithic Scatter	Not Eligible	No Effect/ Inside APE			
21BE0161	Precontact Lithic Scatter	Potentially Eligible (D)	Undetermined/ Inside APE			
21BE0276	Judson Whistle Stop	Not Eligible	No Effect/ Outside APE			
21BE0286	Precontact Lithic Scatter	Not Eligible	No Effect/ Inside APE			
21BE0287	Precontact Lithic Scatter	Eligible (D)	Adverse Effect/ Inside APE			X
21BE0288	Precontact (Woodland-Plains Village Period). Artifact Scatter & Historic Artifact Scatter	Precontact: Eligible (D) Historic: Eligible (A, D)	Adverse Effect/ Inside APE			
21BE0289	Precontact (Woodland-Plains Village Period) Artifact Scatter	Eligible (D)	Adverse Effect/ Inside APE			X
21BE0290	Precontact (Woodland-Cambria Phase) Artifact Scatter	Eligible (D)	Adverse Effect/ Inside APE			X
21BE0291	Precontact (Woodland-Cambria Phase) Artifact Scatter	Eligible (D)	Adverse Effect/ Inside APE			X

21BE0292	Eagle Lake Station Water Tank Base	Eligible (D)	Adverse Effect/ Inside APE			
21BW0004	Precontact (Archaic, Woodland) Artifact Scatter & Earthwork/Mound Group	Eligible (D)	Adverse Effect/ Inside APE			X
21BW0094	Springfield Station Water Tank Base	Eligible (D)	Adverse Effect/ Inside APE			
21BW0099	Precontact Lithic Scatter	Not Eligible	No Effect/ Inside APE			
21BW0100	Precontact Lithic Scatter	Not Eligible	No Effect/ Inside APE			
21BW0101	Precontact Lithic Scatter	Not Eligible	No Effect/ Inside APE			
21BW0102	Pipestone Isolate (Unfinished Elbow Pipe)	Unevaluated	Undetermined/ Inside APE			
21BW0103	Precontact Lithic Isolated Find	Not Eligible	No Effect/ Inside APE			
21DO0009	Dodge Center Station Tool House	Eligible (D)	Adverse Effect/ Inside APE			
21DO0011	Kasson Station Water Tank Base	Eligible (D)	Adverse Effect/ Inside APE			
21DO0012	Claremont Station Well Surround, Water Tank Base, Settling Tank Base	Eligible (D)	Adverse Effect/ Inside APE			
21LN0048	Lake Benton Station Well Surround & Water Tank Base	Eligible (D)	Adverse Effect/ Inside APE			
21LN0049	Verdi Station Cistern	Eligible (D)	Adverse Effect/ Inside APE			
21LN0050	Tyler Station Depot Foundation & Coaler Base	Eligible (D)	Adverse Effect/ Inside APE			
21LN0073	Precontact (Woodland-Lake Benton Phase) Artifact Scatter	Eligible (D)	Adverse Effect/ Inside APE			X
21LN0074	Precontact (Archaic, Woodland) Artifact Scatter & Historic Artifact Scatter	Precontact: Eligible (D) Historic: Eligible (D)	Adverse Effect/ Inside APE			X
21LY0123	Garvin Whistle Stop	Not Eligible	No Effect/ Inside APE			
21LY0124	Balaton Station Water Tank Base	Eligible (D)	Adverse Effect/ Inside APE			
21LY0125	Tracy Whistle Stop	Not Eligible	No Effect/ Inside APE			

21LY0126	Precontact Lithic Isolated Find & Historic Farmstead/Artifact Scatter	Precontact: Not Eligible Historic: Potentially Eligible	Undetermined/ Inside APE			
21LY0127	George D. Tracy Company Warehouse Foundation	Not Eligible	No Effect/ Inside APE			
21LY0128	Tracy Station Roundhouse Foundation & Turntable Pit	Eligible (D)	Adverse Effect/ Inside APE			
21OL0035	Byron Whistle Stop	Not Eligible	No Effect/ Inside APE			
21OL0036	Rochester Station Turntable Pit	Not Eligible	No Effect/ Inside APE			
21OL0037	Eyota Station Water Tank Base	Eligible (D)	Adverse Effect/ Inside APE			
21RW0066	Walnut Grove Station Well Surround	Eligible (D)	Adverse Effect/ Inside APE			
21RW0069	Precontact Lithic Scatter	Not Eligible	No Effect/ Inside APE			
21RW0070	Sanborn Station Water Tank Bases & Direct Coaler Bases	Eligible (D)	Adverse Effect/ Inside APE			
21WE0006	Precontact (Woodland & Oneota) Artifact Scatter	Potentially Eligible (D)	Undetermined/ Inside APE			X
21WE0075	Precontact Lithic Isolated Find	Not Eligible	No Effect/ Inside APE			
21WE0076	Waseca Station Extant Depot & Roundhouse Foundation	Eligible (D)	Adverse Effect/ Inside APE			
21WN0063	St. Charles Whistle Stop	Not Eligible	No Effect/ Inside APE			
21WN0064	Utica Whistle Stop	Not Eligible	No Effect/ Inside APE			
21WN0065	Lewiston Whistle Stop	Not Eligible	No Effect/ Inside APE			
21WN0066	Stockton Station Pump House, Tool Shed, Water Tank Bases	Eligible (D)	Adverse Effect/ Inside APE			
21WN0071	Stockton Quarry	Potentially Eligible (D)	Undetermined/ Inside APE			
21WN0072	Lewiston Station Turntable Pit	Eligible (D)	Adverse Effect/ Inside APE			
BW-NUC-021	New Ulm Station Extant Depot	Eligible (D)	Adverse Effect/ Inside APE			
BW-SLC-059	Sleepy Eye Station Extant Depot	Eligible (D)	Adverse Effect/ Inside APE			

*If Tribe recommends eligibility, please specify which criteria apply.

Additional Comments (attach separate documentation if needed)

We would like to have the opportunity to have a tribal representative visit the checked sites.

Signature: W. Young Date: April 14 2009

Printed Name: WASTÉWIN YOUNG Title: SRST THPO

Return Completed Form to:

Randy Withrow
The Louis Berger Group
950 50th Street
Marion, IA 52302-3853